MINISTRY OF IRRIGATION AND POWER

REPORT

OF

THE KRISHNA GODAVARI COMMISSION



Annexure IX

^varticulars of Irrigation and Hydro-electric schemes which came into operation after March, 1951

KRISHNA RIVER SYSTEM

July 1962

Table of Contents

Foreword	•••	* ***	***	•••	•••	•••	•••	(i)
Statement sh	nowing installed po	ower, maxim	ium to-date a	nd ultimate				
aı	nnual irrigation an	d annual di	version	•••	•••	•••	***	(ii)
Section 1.	Introduction	•••	•••	•••	•••	***	•••	1
Section. 2.	General form for	r recording p	particulars of	major and 1	nedium proje	ects		3
Section. 3.	Particulars of ma	jor and med	dium projects	•••	•••		•••	11
Table I	Abstract of majo	r and mediu	m schemes	•••	•••	•••	•••	82
Table II	Particulars of mi	inor schemes	1	•••	•••	•••	•••	83
Table III	Particulars of sm	all tanks an	d diversions		•••	•••	•••	88
Table IV	Abstract of mine	or schemes a	nd small tanl	ks and dive	rsions	•••	•••	90
Table V	Ayacut of and Andhra Pradesh		ted by mino	r schemes	and small	tanks an	d diversions	in 92
Table VI	Crop pattern and	l duty, distri	ct-wise	4	•••	•••	•••	93

सन्यमेव जयते

Statement showing installed power, maximum to-date and ultimate annual irrigation and annual diversion

	k. W. 10-a ate		irrigation	Annual o	liversion		
Name of State/ Category of scheme					Ultimate	Maximum to-date	Ultimate
	2	3	4	5	6	7	8
			a	cres——		T.M	.C
ANDHRA PRADESH			Ayacut				
Major and medium schemes	5	63,000	934,100	327,200	1,006,200	102.3	168.2
Minor schemes	21		22 749	11,625	20,000	7.7	11.7
Small tanks and diversions	1,001		59,259	34,219	50,000}	· • /	4 4,7
Total	1,827	63,000	1,056,108	373, 044	1,076,200	110.0	179.9
MAHARASHTRA			C. C. A.				
Major and medium schemes	5	4,800	140,700	53,100	113,000	9.0	17.6
Minor schemes	30	-500	57,183	22,031	45,000 լ	1,8	3.5
Small tanks and diversion	128		14,996	7,241	12,000 }	1,0	3.3
Total	163	4,800	212,879	82,372	170,000	10.8	21.1
MYSORE		VIII	Ayacut				
Major and medium schemes	5	33,200	566,800	91,300	566,800	22.5	100.4
Minor schemes	33	17.4	50,601	25,569	50,000		
Small tanks and diversions	30		3,946	2,657	4,000	} 4.3	9.3
Total	68	33,200	621,3 4 7	119,526	620,800	26.8	109.7
Total of major and medium schemes	15	101,000	1,691,600	471,600	1,686,000	133.8	286.2
Total of minor schemes and							
Small tanks and diversions	1,243		20 8,734	103,342	181,000	13.8	24.5
Grand Total	1,258	101,000	1,900,334	574,942	1,867,000	147.6	310.7

FOREWORD

The data presented in this Annexure relate to irrigation and hydro-electric schemes on the Krishna river system, which have come into operation after March 1951, and are based on the information obtained from the State Governments of Andhra Pradesh, Maharashtra and Mysore supplemented, here and there, by information collected from project reports, administration and other reports and official correspondence between the State Governments and the Planning Commission or the Ministry of Irrigation and Power.



INTRODUCTION

- 1.1 After a preliminary study of the nature and extent of irrigation developments, existing and proposed, in the Krishna and Godavari basins and after general discussions with the representatives of the State Governments concerned, the Commission decided to classify all schemes and projects into the following four groups:
 - (i) Major schemes to include all power projects and such other schemes as would each irrigate 50,000 acres or more annually;
 - (ii) Medium schemes—each intended to irrigate less than 50,000 acres annually but having an Ayacut or C.C.A. of not less than 5,000 acres;
 - (iii) Minor schemes—each having an Ayacut or C.C.A. of less than 5,000 acres but not less than 500 acres; and
 - (iv) Small tanks and diversions—each having an Ayacut or C.C.A. of less than 500 acres.
- 1.2 A form was drawn to show in detail such particulars of schemes and projects as were relevant to the Commission's work and the State Governments were requested to furnish the requisite data for each major and medium scheme, which came into operation after March, 1951. This form with explanatory note, is shown in Section 2. It was, however, found that the information sought by the Commission was not readily available with the State Governments; each State, therefore, set out to collect as much information as could be compiled in the time available.

Particulars of each major and medium project, as obtained from the State Governments, are given in Section 3. These were shown in draft form first to the representatives of the State Governments concerned, for verification. After appropriate modifications had been made, the revised drafts were discussed in a joint meeting at which the Commission had the benefit of comments made and views expressed by the representatives of other States. This led to some further changes, which have all been incorporated in Section 3. Some gaps in the data required still remained. These have been filled by the Commission; the assumed figures are shown in brackets.

- 1.3 The significance of the index numbers as given to each project in Section 3, is the same as explained in the Commission's Report.
- 1.4 Important particulars of all major and medium schemes arranged State-wise are given in Table I, including the maximum to-date and ultimate annual irrigation and the maximum to-date and ultimate annual diversion and also the installed power capacity of each scheme.

- 1.5 Since each minor scheme diverts but a small quantity of water, since the number of such schemes is relatively large and since most of the particulars specified for the major and medium projects were not available for the minor schemes, the Commission decided to request the State Governments to furnish only a few important facts regarding each minor scheme. These have been presented in Table II to the extent these could be made available by the State Governments.
- 1.6 As regards small tanks and diversions, their number runs into thousands and even the particulars called for the minor schemes were not available for individual small tanks and diversions. It was, therefore, decided to collect some particulars regarding these small tanks and diversions, not by individual works, but collectively for all the small tanks and diversions in each district. Even this information was not wholly available. The information obtained is shown in Table III.
- 1.7 An abstract of all information available regarding minor schemes and small tanks and diversions is shown in Table IV. This Table gives the number of total schemes of this kind, district-wise, the areas irrigated during 1959-60 or 1960-61 and the annual diversion during 1959-60 or 1960-61. The Commission have attempted to fill in the gaps in the data; the figures assumed are shown in brackets and suitable notes have been added to indicate the basis on which the assumptions have been made.

No records are available of the quantum of river supplies diverted by minor schemes or by small tanks and diversions. In order to get some idea of this quantum, the information contained in Table VI was collected from each State Government and was utilised in working out the annual diversions shown in Table IV.

1.8 The total number of schemes in each State, the total area irrigated and the total river supply diverted and also the total installed power are shown in a statement in the beginning of the Annexure.



Section 2

General form
for
recording particulars of Major and Medium projects
which came into operation
after March, 1951

with explanatory notes



Name of scheme or system

Index Number

indicating serial number, category of project, sub-basin and State or States

1. Name of State

State or States benefited by the scheme; if the scheme was in a different State prior to re-organisation of States, also the name of that State.

2. Scope of the scheme or system

Irrigation, hydro-electric or multi-purpose; if multi-purpose, all purposes are stated; Whether based on flow or flow-cum-storage;

For irrigation schemes, acreage of C.C.A. or Ayacut is given

For hydro-electric schemes, installed power in k.W. is stated

3. Source of supply

Name of channel with name of place where diversion works are located, tributary and river.

Illustration: Sina at Sholapur/Bhima/Krishna Upstream uses if any, existing and proposed:

4. Description of the reservoir or tank

Live storage; dead storage; carry-over; annual reservoir losses; filling period; depletion period; catchment area; area submerged; full reservoir level; minimum pond level or dead storage level.

If no canal takes off from the reservoir or tank:

type, length and height of dam; length and capacity of spillway; and number and capacity of outlets.

5. Description of the headworks

If a canal takes off above the dam:

type, length and height of dam, length and capacity of spillway, number and capacity of outlets including particulars of head regulator of the canal.

If the head works consist of a weir, anicut or barrage:

length of weir, anicut or barrage with discharging capacity; particulars of under sluices and of head regulator of canal; minimum pond level and catchment area upstream of headworks

6. Description of the canals

Name of canal; (contour or ridge); whether taking off on right or left; length of main canal (and of branches); one seasonal, two seasonal or perennial; lined or unlined; authorised capacity at head.

- 7. Date of beginning of construction
- 8. Date of beginning of operation
- 9. Probable date of beginning of full operation

IRRIGATION ASPECTS

10. Gross commanded area, culturable commanded area and Ayacut, district-wise

- (i) In general, separate tables are prepared for each major canal;
- (ii) Ayacut figures are not given for schemes in Madhya Pradesh and Maharashtra.

	Name of district		
Item			Total
G.C.A.	thousand ac	res	
C.C.A.			
Ayacut			

11. Area irrigated annually and intensity of irrigation

- (i) Where the area irrigated is more than 10,000 acres, yearly crop-wise figures are given in Annexure I;
- (ii) intensity of irrigation is worked out as percentage of area irrigated on total C.C.A. in case of Madhya Pradesh and Maharashtra and on Ayacut in case of Andhra Pradesh, Mysore and Orissa;
- (iii) all figures are correct to first place of decimal;

Area irrigated annually	Intensity of irrigation
सत्यमेव जयते	

- (i) Proposed
- (ii) Actual maximum

12. Normal rainfall and river supply diverted

- (i) If there is more than one canal, separate tables are prepared for each major canal;
- (ii) figures for column 2 are as read from monthly Isohytal maps;
- (iii) figures in columns 3 and 4 are based on the sum-total of the rainfall figures for the month for all the stations in the commanded area divided by the number of stations;
- (iv) figures in columns 7 and 8 represent,

average cusecs diverted during the month authorised capacity of the canal

(v) figures in columns 2 to 4 are correct to first place of decimal and those in columns 5 to 8 to two places of decimal.

		Rainfall		River supp	ly diverted	Capacit	y factor
Month	Normal	Maximum	Minimum	Actual	Proposed	Actual	Proposed
			Ì	maximum		maximum	
1	2	3	4	5	6	7	8

June

July

— April

May

Total

- 13. (a) Depth of sub-soil water-table below ground level in the area proposed to be irrigated
 - (b) Nature and extent of annual fluctuation in the water table
 - (c) Has any study been made of the likely effect of the introduction of irrigation on sub-soil water-table?

Information is given only where data based on regular observations are available

14. (a) Characteristics of soil (s) in the commanded area

Results of scientific soil survey, if carried out, are given; otherwise, general classifaction specifying soil texture with depth of soil crest.

(b) Has any study been made of the likely effect of the introduction of irrigation on soil characteristics?

Information is given only when scientific studies have been made

- 15. Pattern of cultivation in the area commanded before the scheme came into operation
 - (i) Paddy, wheat, sugar-cane and cotton are specified individually; any other crop which covers more than 5 percent of the total cropped area is also specified, all other crops are grouped under 'others';
 - (ii) crop percentages are worked out on the 'Grand Total' as given in the last column and are correct to the first place of decimal.

Perennial	Two seas	onal			
Percentage of principal crops Total area (T. acres)	Percentage of Principal crops	Total area (T. acres)	Percentage of principal crops	Total area (T•acres)	Total cropped area (T. acres

16. (a) Proposed pattern of irrigated cultivation

- (i) Paddy, wheat, sugar-cane and cotton are specified individually; any other crop which covers more than 5 percent of the total crop area is also specified, all other crops are grouped under 'others'.
- (ii) crop percentages are worked out on the 'Grand Total' as given in the last column and are correct to the first place of decimal.

Perennial	Two Seasonal	1	
Percentage of principal crops Total area (T. acres)	Percentage of principal crops (Total area (T. acres)	Percentage of principal crops area (T.acres)	Grand Total (T. acres)

(b) Are there any rules for regulating crop pattern?

17. Actual crop pattern obtained after the introduction of irrigation

- (i) Paddy, wheat, sugar-cane and cotton are specified individually; any other crop which covers more than 5 per cent of the total crop area is also specified, all other crops are grouped under 'others';
- (ii) crop percentages are worked out on the 'Grand Total' as given in the last column and are correct to the first place of decimal;
- (iii) where the area irrigated annually is more than 10,000 acres cropwise figures are given in Annexure I

Perennial	Two Seasonal				-
Percentage of principal crops (T. acres)	Percentage of principal area (T.acres)	Percentage of principal crops (Total area (T. acres)	Grand Total (T. acres)	

18. Duty and Delta at canal head

(i) Overall delta (as anticipated) represents

total annual river supply diverted (proposed) vide item 12 area proposed to be irrigated vide item 16

(ii) Overall delta (as obtained) represents

total annual river supply diverted (actual) vide item 12 area actually irrigated vide item 17

- Emil

	As anticipated	As obtained
Duty	Delta	Delta
(acres per mean cusec)	(feet)	(feet)
Perennial Kharif Rabi	Perennial Kharif Rabi Overall	Perennial Kharif Rabi Overall

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

It is specified whether area irrigated by tanks is included in or excluded from the C.C.A. or Ayacut of the scheme

(b) Number of wells in operation in the irrigated area and the area irrigated therefrom

It is specified whether area irrigated by wells is included in or excluded from the C.C.A. or Ayacut of the scheme

20. Quantum of river supplies available in relation to withdrawls

Whether river supply data available; the period of the year in which flow supplies are adequate to meet irrigation requirements; number of days during which flow supplies are in excess of irrigation requirements and quantum of excess; period during which irrigation requirements are met wholly or partly from storage and quantum so obtained.

POWER ASPECTS

21. River supplies diverted and operation head

		during		roposed
Month	Range of operation head (feet)	Mean supply passing through turbines (cusecs)	Range of operation head (feet)	Mean supply passing through turbines (cusecs)
June				
July				
H				
April				,
May			3	
		Chick the state of	300	
Total		T.M.C.	9	T.M.C.
	tail-race waters	ANACOMAN		T.M.C.
. Disposal of	•	VANAL	sposal of tail-race	
Disposal of Where inform	nation is not availa	VANAL	sposal of tail-race	
Where inform	nation is not availa	able monthwise, the di	sposal of tail-race	waters is indicated in gene
Where informoms Month	nation is not availa	able monthwise, the di	sposal of tail-race	waters is indicated in gene
Where informations Month	nation is not availa	able monthwise, the di	sposal of tail-race	waters is indicated in gene
Where informations Month	nation is not availa	able monthwise, the di	sposal of tail-race	waters is indicated in gene
Where informations Month	nation is not availa	able monthwise, the di	sposal of tail-race	waters is indicated in gene

23. Development of load compared with power potential provided

Upto-date position is indicated

24. Quantum of river supplies available in relation to withdrawls

Whether river supply data available; the period of the year in which flow are adequate to meet power requirements; number of days during which flow supplies are in excess of power requirements; period of the year during which power requirements are met wholly or partly from storage and quantum so obtained

GENERAL

25. Aspects other than irrigation and power; water supply (month wise), if any, required for these aspects; financial returns

Aspects such as navigation, water supply for towns, and supplies given for industrial uses are specified average utilisation for a number of year is given and the years specified.

- 26. Total cost of the scheme
- 27. Cost per acre irrigated
- 28. Cost per k.W. power produced
- 29. Financial return of the scheme
 - (i) as anticipated
 - (ii) as obtained

Worked out as percentage of net return (gross return less working expenses) on the total capital outlay

- 30. Main features and purpose of the scheme
- 31. Special features of the scheme

This item is included only if there are any special features not covered by items 1-30 above



Section 3

Particulars

of

Major and Medium projects

सन्दर्भव जयते

KOILSAGAR PROJECT

1B-K. 7-A.1

1. Name of State Andhra Pradesh (formerly in Hyderabad)

2. Scope of the scheme or system

Irrigation scheme; flow-cum-storage; Ayacut 12,000 acres

3. Source of supply

Peddavagu/Krishna

Utilisation upstream: existing or proposed, only small tanks

4. Description of the reservoir or tank

Live storage 1.59 T.M.C. Dead storage 0.17 T.M.C. Carry-over Nil Annual reservoir losses 0.50 T.M.C. Filling period June to November December to May Depletion period 709 square miles Catchment area 2,560 acres Area submerged Full reservoir level R.L. 1,344 Minimum pond level R.L. 1,317

5. Description of the head works

Dam: ogee, 900 feet long 76 feet high, composite, 2,150 feet long, 85 feet high, and

gravity, 350 feet long, 41 feet high

Spillway: ogee, 900 feet long, capacity 113, 760 cusecs

Outlets: two sluices one on each flank, with two vents each of 4 feet \times 3 feet

6. Description of the canals

Right Canal (contour); 16 miles long; two-seasonal; unlined; capacity 180 cusecs Left Canal (contour); 9 miles long; two-seasonal; unlined; capacity 60 cusecs

7. Date of beginning of construction 1948

8. Date of beginning of operation 1954

9. Probable date of beginning of full operation 1962-63

IRRIGATION ASPECTS

10. Gross commanded area, culturable commanded area and Ayacut, district-wise

District Mahboobnagar

Item	ı	Left Canal	Right Canal	1	Total
		thousa	nd acres-		
G.C.A.		3,8	10,6		14,4
C,C,A,		3.0	9.5		12.5
Ayacut (both	canals)				12.0

11. Area irrigated annually and intensity of irrigation (both canals)

	Area irrizated annually	1	Intensity of irrigation on Ayacut
Proposed Actual maximum	14,500 acres 9,800 ,,		120.8 percent 81.7

12. Normal rainfall and river supply diverted

					River supply	diverted	*	<u> </u>	Capacity J	actor	
Month -	Ra	infall		.4ctual	Maximum	Proposed		Actual	Maximum	Pro	posed
	Normal	Maximum 	Minimum	Left Canal	Right Canal	Left Canal	Right Canal	Left Canal	Right Canal	Left Canal	Right Canal
	2	3	4	5	δ	7	8	9	70	11	12
		inches		the	ousand mil	llion cub	oic feet—				
June	3.9	6.0	0.8	0.13	0.26	0.05	0.15	0.83	0.56	0.32	0.32
July	9.1	22.3	3.7	0.18	0.36	0.10	0.30	1.12	0.75	0.62	0.62
August	5.7	13.1	3.0	0.19	0.38	0.17	0.49	1.18	0.79	1.06	1.02
September	r 7.6	15.4	2.9	0.18	0.36	0.15	0.44	1.15	0.77	0.96	0.94
October	3.3	5.3	1.9	0.18	0.37	0.15	0.46	1.12	0.77	0.93	0.95
November	0.2	0.9	Nil	0.09	0.17	0.10	0.29	0.58	0,36	0.64	0.62
December	Nil	Nil	> >	0.01	0.03	0.01	0.03	0.06	0.06	0,06	0.06
January	9>	,,	77	0.04	0.08	0.03	0.10	0.25	0.17	0.19	0.21
February	• >	,,	,,	0.04	0.08	0.03	0.09	0.28	0.18	0.21	0.21
March	0.4	1.3	,,	0.04	0.09	0.03	0.10	0.25	0.19	0.19	0.21
April	0.6	1.6	,,	0.06	0.12	0.02	0.07	0.38	0.26	0.13	0.15
May	2.5	7.2	0.1	10.0	0.01	0.01	0.03	0.06	0.02	0.06	0.06
Total	33,3			1,15	2.31	0.85	2.55				
Total for	both c	anals			3.46		3.40				

^{*}Data of canal withdrawals not made available

13.

Not available

14. (a) Characteristics of soils in the commanded area

Red, sandy loam and black

(b) Has any study been made of the likely effect of the introduction of irrigation on soil characteristics?

No

15. Pattern of cultivation in the area commanded before the scheme came into operation

	Kho Percentage of prin			Total cropped
Paddy	Jowar	Bajra 	Others	a r ea (T. acres)
15.3	50.0	9.5	25.2	12.5

16. (a) Proposed pattern of irrigated cultivation.

Abi	The second secon	Tabi		
Percentage or principal crops Paddy	Total area (T. acres)	Percentage of principal crops Paddy	Total area (T. acres)	Grand Total (T. acres)
82.8	12.0	17.2	2.5	14.5

(b) Are there any rules for regulating crop pattern?

No, but the cultivator is required to pay water rate for 100 percent area under abi and such tabi as he may grow.

मरामेव जगने

17. Actual crop pattern obtained after the introduction of irrigation

Abi		Tabi		
Percentage of principal crops Paddy	Total area (T. acres)	Percentage of principal crops Paddy	Total area (T. acres)	Grand Total (T. acres)
75.0	6.6	25.0	2.2	8.8

During 1959-60 (year of maximum river supply diverted)

18. Duty and Delta at canal head

Crop period: Abi: June to November Tabi: December to May

	As anticipated	As obtained							
Duty (acres per me	ean cusec)		Delta (feet)		De lta (feet)				
Abi	Tabi	Abi	Tabi I	Overall	Abl	Tabi	Overall		
64	56	5.4	5.0	5.4	9.4	6.1	8.2		

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

31 tanks with an Ayacut of 1,589 acres, merged in the project

(b) Number of wells in operation in the irrigated area and the area irrigated therefrom

76 wells with an Ayacut of 208 acres, merged in the project

20. Quantum of river supplies available in relation to withdrawls

River supply data not available. It is, however, stated that river supply is an excess of irrigation requirements.

¹21. to 24.

Not available

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any required for these aspects; financial returns

Nil

26. Total cost of the scheme

Rs. 87 lakhs

27. Cost per acre irrigated

Rs. 698

28.

Not applicable

29. Financial return of the scheme

(1) as anticipated

1.26 percent

(2) as obtained

Not available

30. Main features and purpose of the scheme

Conversion of rain-fed cultivation to irrigated agriculture; increase in cropped area

TUNGABHADRA PROJECT

1. Name of State

Andhra Pradesh and Mysore (originally the Right Bank Canal was in Madras and the Left Bank Canal in Hyderabad).

2. Scope of the scheme or system.

Multipurpose scheme; flow-cum-storage; (i) Irrigation, Ayacut Mysore 672,340 acres, Andhra Pradesh 156,900 acres; (ii) Power, right side, 2 x 9,000 k.W. at the dam, 3 x 9,000 k.W. in the canal; left side, 2 x 9,000 k.W. at the dam.

3. Source of supply

Tungabhadra at Mallapuram/Krishna

Irrigation and power uses upstream, both existing and contemplated

4. Description of the reservoir or tank

Live storage

Dead storage

Carry-over

Annual reservoir losses

Filling period

Depletion period

Catchment area

Area submerged

Full reservoir level

Minimum pond level



सत्यमव जयत

117.40 T.M.C.

15.60 T.M.C.

Nil

18.00 T.M.C.

June to October

November to May

10,880 square miles

93,440 acres (all in Mysore)

R.L. 1,633

R.L. 1,582

5. Description of the head works

Dam: 8,034 feet long (non spillway section 3,440 feet), 162 feet high, spillway section 2,300 feet, composite dam 267 feet at the left end, and 1,527 feet, on the extreme left flank to plug saddle 2, and earth dam 500 feet long to plug saddle 1 on the left.

Spillway: 2,300 feet long, fitted with 33 gates, each 60 feet x 20 feet, total capacity 650,000 cusecs

Outlets:

Right Bank

Left Bank

(i) Low Level canal, irrigation and power sluices

four, 11 feet diameter each

ten, 8.8 feet x 11.5 feet each

(ii) Existing irrigation sluices pre-Moghul channels Bassavanna and Raya Channels one, 6 feet x 12 feet

Nil

(iii) High Level channel sluices

ten, 6 feet x 12 feet each

four, 4 feet x 5 feet each

(iv) Sluices for water supply

one, 2 feet diameter

one, 2 feet diameter

(v) River sluices

two, 6 feet x 12 feet each, total capacity 3,600 cusecs for both at R.L. 1,582

Nil

6. Description of the canals

- (i) Right Bank Low Level canal (contour); 217 miles long (first 14 miles is power canal); first 75 miles perennial, rest two seasonal; lined upto Mile 14; authorised capacity 2,500 cuescs (for irrigation and power) and 1,800 cuescs at mile 14 (for irrigation only)
- (ii) Left Bank Low Level canal (contour); 127 miles long with 14 miles branches at tail (first 14 miles of canal is power-cum-irrigation canal); perennial; lined; authorised capacity 7,000 cusecs (for irrigation and power) and 3,200* cusecs at mile 14 (for irrigation only), cross drainage works on the canal have been built to accommodate two feet increase in Full Supply Depth.

7. Date of beginning of construction

Irrigation scheme February 1945; Hydro--electric scheme 1952.

8. Date of beginning of operation

Irrigation scheme July 1953; Hydro-electric scheme, Dam Power House, Right side 2 units in 1957, Canal Power House, 2 units in 1958; 1 unit in Dam Power House, Left side December, 1961.

9. Probable date of full operation.

Irrigation

June, 1964

Power

June, 1963

^{*}It was found in 1956 that, with the sanctioned quantum of diversion and the approved crop pattern, a peak discharge in the canal of 3,900 cusecs was necessary, the canal below mile 48 is being constructed for 3,900 cusecs.

IRRIGATION ASPECTS

10. Gross commanded area, culturable commanded area and Ayacut, district-wise

` -		Right Bank Cana	1	Left Bank Canal	
Districts	Bellary (Mysore)	Kurnool (Andhra Pradesh)	Total	Raichur (Mysore)	Grand Total
· .		thousan	d acres——	1	·
G.C.A.	294.0	565.5	859,5	900.0	1,759.5
C.C.A.	249.0	491.0	740.0	800.0	1,540.9
Ayacut	92:3	156.9	249.2	580.0*	829.2

11. Area irrigated annually and intensity of irrigation (See Annexure 1)

					P THE / LAR SUN	Land Control			
			Righ	t Bank C	Canal	343		Left Bank	Canal
		Area i	irrigated and	mually		ity of irriga on Ayacut	tion	Area irrigated annually	Intensity of irrigation
		Mysore	Andhra Pradesh	Total	Mysore	Andhra Pradesh	Total		on Ayacut
		th	ousand acre	?s		-percentage-		thousand acres	percentage
(i)	Proposed	92.3	156.9	249.2	100.0	100.0	100.0	580.0	100.0
(ii)	Actual maximum	50.0	105,4	155.4	54.2	67.2	62.4	127.2	21.9

~ E

Note: (i) Left Bank Canal completed so far upto mile 65 only with a localised Ayacut of 257,000 acres

(ii) Distribution system of Right Bank Canal (in Mysore) is nearing completion.

^{*}According to Andhra Pradesh, the Ayacut of 580,000 acres shown under Raichur (Mysore) should be 460,000 acres and the remaining 120,000 acres should be in Gadwal and Alampur Talukas, formerly in Raichur district and now in Mehbubnagar district of Andhra Pradesh. The G.C.A. corresponding to the Ayacut of 580,000 acres should be 1,080,000 acres lying partly in Raichur district and partly in Mehbubnagar district. See 8C.3—K.8—A.8. On the other hand, Mysore has put up papers indicating that the Hyderabad Government in 1954-56 did not intend irrigation from this canal to be extended beyond Mile 141 into the Gadwal and Alampur Talukas.

12. Normal rainfall and river supply diverted

(i) Right Bank Low Level Canal

			Ra	infall			R	iver sur	oly diverte	?d	Capacity	
Month	Nor	ma l	Max	imum	Mini	muni	Actual maxi-	Pro	posed	Total	(capacity	1,800 cusecs
•••	Mysore	Andhra Pradesh		Andhra Pradesh	Mysore	Andhra Pradesh	mum at mile 14		Andhra Pradesh		At actual maximum mile 14	Proposed
			in	nches –	-		<u></u>	T.N	1.C. —			, , , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
June	2.0	2.5	6.4	5.4	0.5	1.1	3.97	1.74	2.14	3.88	0.85	0.83
July	2.4	2.9	5.7	8.2	0.2	2.1	3.90	1.94	2.65	4.59	0.81	0.95
August	2.1	4.0	5.2	17.0	0.1	0.6	3.81	1.92	2.65	4.57	0.79	0.95
September	6.2	4.0	13.8	11.1	0.9	2.9	3.93	1.60	2.51	4.11	0.84	0.88
October	4.2	3.8	17.3	9.9	0.2	0.8	3.94	1.69	2.38	4.07	0.82	0.84
November	2.1	1.5	5.7	3.5	Nil	0.1	3.58	2.20	2.30	4.50	0.77	0.96
December	0.2	0.2	1.7	4 0	,,	0.1	3.69	2.26	1 43	3.69	0.77	0.77
January	0.1	0.1	0.9	0.4	,,	0.2	3.49	2.26	2.31	4.57	0.72	0.95
February	0.5	0.2	2.3	0.5	,,	0.2	3.12	1.40	2.09	3.49	0.71	0.80
March	0.2	0.2	1.9	1.9	,,,	0.1	3.64	0.83	2.31	3.14	0.75	0.65
April	0.7	0.8	2.9	18	,,	Nil	2.42	0.80	1.09	1.89	0.52	0.41
May	1.8	2.0	4.0	9.5	0,2	0 .7	0.70	0.36	0.08	0.4	4 0.15	0.09
Total	22.5	22.2					40,19	* 19.0	0 23.94	42.9	4	

^{*}The river supply diverted at head was 68.42 T.M.C. of which 40.19 T.M.C. was let into the canal for irrigation; balance was escaped into the river.

(ii)	Left	Bank	Low	Level	Canal

) Left Bank Lo	w Level Can	R ainfall		River supp	ly diverted	Capacity factor (capacity 3,200 cusecs)		
Month	Normal	Maximum	Minimum	Actual maximum	Proposed	Actual maximum	Propose	
	all the first firs	inch	es	T	.M.C			
June	3.0	5.1	0.9	1.48	5.46	0.18	0.72	
July	2.5	7.8	0.4	4.65	8.21	0.54	0.96	
August	2.5	5.8	0.2	4.89	8.35	0.57	0.97	
September	5.5	10.3	1.0	4.80	9.00	0.58	1.09	
October	3.5	11.7	0.1	4.97	10.02	0.58	1.17	
November	1.5	3.8	Nil	4.85	8.84	0.58	1.07	
December	0.2	0.8		1.66	7.75	0.19	0.90	
January	0.1	1.2	i.	2.60	8.21	0.30	0.96	
February	0.2	3.8		3.47	7.81	0.45	1.01	
March	0.2	1.1	1/1	3.50	4.83	0.41	0.5	
April	0.8	2.0	0.1	2.74	6.21	0.33	0.75	
May	1.8	3.6	Nil	2.75	7.06	0.32	0.82	

13. Not available

14. (a) Characteristics of soils in the commanded area

Bellary district: Black soils and red gravelly loams. Black soils are derived variously from top

rocks, granites, shales and limestone of Cuddapah Kurnool series. Soils are either shallow or deep from two feet depth to even nine feet and are usually underlain with decomposed rocky material locally called as Garsee. They have open

texture, loamy to sandy intermixed with gravel and quartz pebbles

Raichur district: Red sandy soils and shallow to deep black soils derived principally from granites. Red loamy soils occur generally at higher elevations and are found either

singly or together with black soils

Name of taluka Adoni	Heavy Black 51 percent	Mixed 23 percent	Red 26 percent
Alur	70 ,,	23 ,,	70 ,,
Pathikonda	40 ,,	14 ,,	46 ,,
Kurnool	58 ,,	26 ,,	16 "

(b) Has any study been made of the likely effect of the introduction of irrigation on soils characteristics?

A study of the likely effect on soils due to introduction of irrigation has been made at Shriguppa, Bellary district and at Dhadersugur Research Farm. As per the report of the Shriguppa Research Farm, it is expected that there will be no rise of salt and consequent adverse effects but on the other hand there is definite wash down of the soluble salts. So, no alkalinity will be formed as a result of irrigation in black soils of the Ayacut.

15. (a) Pattern of cultivation in the area commanded before the scheme came into operation

				,										
		P erennia	I		1	Kharif	200			Rabi				
•	Percentage of Total principal crops area		Perce	Percentage of principal crops				Total	Percentuge of principal crops			Total		
	Sugar- cane	Garden	(T. acres)	Cotton	Paddy	Groundnut	Jowar	Others	area	Cotton	Others	Total area (T. acres)	cropped area (T. acres)	
Right bank	: (,			[<u> </u>	<u></u>	<u> </u>		<u></u>	<u> </u>	1	' <u>'</u>		
Mysore	10.0		24.9		0.5	8.0	29.0	3.5	102.1	20.0	29.0	122.0	249.0	
Andhra Pradesh				12.0	1.0	25.0	36.0	26.0	296.0	includ	ed in K	harif	296.0	
Total			24.9						398.1			122.0	545.0	
Left Bank														
Mysore	0.1	0.4	4.0		0.5	4.0	30.0		276.0	15.0	50 0	520,0	0.008	

(b) Are there any rules for regulating crop pattern?

Mysore

Legislation under consideration

Andhra Pradesh
Wet and dry areas are specified

16. Proposed pattern of irrigated cultivation

		Perennial	!,	Kharif					Rabi					
	rerceni principa		Total	ar			Total area	Perce		of princ rops	ipal		Total (T.acres)	
	Sugarcane	Garden	(T,acres)	Paddy	Jowar	Ground- nut	Others	(T. acres)	Padd y	Jower	Wheat	Cotton	acres)	
Right Bank Mysore	16.6	-	15.3	9 6	22.3	8.6	1.2	38.5	9.6	21.0	2.5	8.6 .	38,5	92.3
Andhra Pradesh	-		-	24.2		_		38.0		75.8			118.9	156.9
Total			15.3					7 6.5					157.4	249.2
Left Bank Mysore	2.6	5.2	45.0	8.6	34.5			250.0	1.7	34.5	_	12.9	285.0	580.0
Grand Tota	al		60.3		5	28	25	326.5					442,4	829.2

^{*}See note under item 10

17. Actual crop pattern obtained after the introduction of irrigation During 1960—61

					- 44			· · · · · · · · · · · · · · · · · · ·						
	Pe	Perennial		Kharif					R			_		
	Percentage of principal crops		Total area (T,	Percentage of principal crops		Total area (T.	Perce	ntage o crop	f princip s	al "	Total area (T,	Grand Total (T. acres)		
	Sugarcane	Garden	acres)	Paddy	Jowar	Others	acres)	Paddy	Jowar	Cotton	Others	acres)	deres	
Right Bank Mysore	23.6	_	11.8	28.0	17.6	4.0	24.8	6.8	10.0	8.0	2.0	13.4	50.0	
Andhra Pradesh		·	-	31.3	_	-	33.0		·	68.7		72.3	105.3	
Total			11,8				57.8					85.7	155.3	
Left Bank Mysore	8.9	0.5	11.9	11.8	28.8	•	51.7	_		50.0		63.6	127.2	
Grand Total		-	23.7				109,5					149,3	282,5	

18. Duty and Delta at canal head

Andhra Pradesh (Right canal) Mysore Right Canal Left Canal Paddy (abl) June to November (183 days) Kharif 122 days Kharif paddy 152 days | Rabi (dry) December to April (151 days) Rabi 122 days Other kharif 122 days Sugarcane 335 days Rabi 151 days

Duty (acres per mean cusec)						Delta (feet)							Delta (feet)			
Perenn	Perennial Kharif Rabi				abi	Perennial Kharif			Rabi	Over-	Peren- nial	Kha- rif	Rabi	Over all		
Sugar- G cane d	ar- len	Paddy	Jowar	Paddy	Jowar	Sugar	Garden	Paddy	Jowar	Paddy Jowar	-					

Right Bank

Mysore Andhra	53	-	44	140	<u></u>	117					<u></u>			Not avail	. 1	L5.0
Pradesh Left Bank	_	_	55	_	dry	120			6.8		(dry)	2.5	3.5	— 7.2	ر 2.7	
Mysore	55	100	45	140	35	120	13.3	7.3	6.7	1.8	8.3	2.4	3.7	Not avail	able	7.6
					Cotto 120				9		Cotton 2.4	1 .				

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom Mysore Andhra Pradesh

Bellary District

Raichur District

5 tanks, irrigating 273 acres

71 tanks, irrigating about 1,800

164 tanks, irrigating 2,770 acres

merged in the project

acres The old irrigation is being merged in the new canals and the old tanks will be abandoned.

(b) Number of wells in operation in the irrigated area and the area irrigated therefrom Mysore Andhra Pradesh Not available 73 wells

Quantum of river supplies available in relation to withdrawals

River supplies are adequate to meet project requirements

POWER ASPECTS

21. River supplies diverted and operation head Right side at the dam

		8							
	As dur	ing 1960-61	As proposed						
Month	Range of operation head (feet)	Average supply passing through turbines (cusecs)	Range of operation head (feet)	Average su through tu (cused					
		o ma dan daharan ayan sasaran ayan ayan ayan ayan ayan ayan ayan		according to Mysore*	according to Andhra- Pradesh +				
June	67-5	1,950	Gross head will vary	1,496	2,600				
July	75.5	1,700	from 90 feet to 41 feet	1,713	2,600				
August	84.0	1,310		1,705	2,600				
September	86.5	1,510		1,585	2,600				
October	87.5	1,620	3	1,519	2,600				
November	88.5	1,510		1,735	2,600				
December	88.5	1,820		1,377	2,600				
January	87.5	1,800		1,705	2,600				
February	86.5	2,060	}	1,442	2,600				
March	74.5	1,920		1,172	2,600				
April	67.5	2,080		729	1,500				
May	63.5	2,100		164 42,92 T.M.C .	1,000 74.86 T.M.C.				

Left side at the dam: The power house was not in operation during 1960-61. The supplies to be passed into the Left Bank Canal vide item 10 above will be diverted for generating power

^{*}These releases are equal to those required for irrigation in the Low Level Canal as per item 12 above and may be exceeded when the reservoir is surplussing

⁺ These releases are subject to prior claims of irrigation interests under this project and of irrigation interests lower down, as of 1951

22. Disposal of tail-race waters

Used in the canals most of the time; during surplussing period, partly escaped into the river

23. Development of load compared with power potential provided

Andhra Pradesh—The installed capacity (4 X 9,000 k.W. = 36,000 k.W.) was fully utilised by 1959

24. Quantum of river supplies available in relation to withdrawals

River supplies are adequate to meet power requirements

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

Navigation is contemplated in the Left Bank Canal from mile 24 to mile 127 (Mysore); development of fisheries, maximum yield expected, 5,400 maunds per year

26. Total cost of the scheme

Dam Rs. 16,96 lakhs Right Bank Low level Canal Rs. 10,36 Left Bank Low level Canal Rs. 25,00 Power Andhra Pradesh Rs. 15,64 Not available Power Mysore

27. Cost per acre irrigated

	Righ	t Bank Canal	Left Bank Canal
	Mysore	Andhra Pradesh	
	Rs. 1,122	Not available	Rs. 552
Cost p	er k.W. power p	produced Rs. 1,54	0 per k.W. (installed)
No	ot available		7

29. No

28.

Main features and purpose of the scheme **30**.

Major irrigation and power development

TUNGABHADRA PROJECT

STATEMENT SHOWING AREA IRRIGATED BY CROPS

Annexure I

				-	Area i	rrigated	by crops	(acres)				
Vage			Right	t bank c	canal			Total	Left	b a nk ca	nal	
Year		Myso	re		And	hra Prac	desh	for both		Mysore		Total
	Perennial	Kharif	Rabi	Total	Wet	Dry	Total	States	Perennia	l Kharij	Rahi	<u> </u>
1953-54	Break up	not avai	ilable	500*	Not a	available	500*					
54-55	Break up	not avai	lable	1,500*	Not	available	1,500	k				
55-56	2,799*	5,187*	3,223*	11,209*	712*	185	* 8 97*	* 12,106*				
1956-57	4,320	10,600	9,580	24,500	7,862	7,422	15,284	39,784	4,475	8,635	5,587	18,697
57-58	5,880	22,000	13,120	41,000	12,112	10,837	22,949	63,949	6,631	10,080	11,990	28,701
. 58-59	9,990	20,000	13,010	43,000	19,958	32,769	52,727	95,727	8,223	11,623	20,903	40,749
59-60	11,545	23,500	13,455	48,500	27,819	41,566	69,385	117,885	8,818	13,542	31,773	54,133
60-61	11,850	24,750	13,400	50,000	33,045	72,315	105,360	155,360	11,931	(51,700)(63,600)	127,174
Average for the 5 years from 1956-57												
1960-61	8,717	20,170	12,513	41,400	20,159	32,982	53,141	94,541	8,016	(19,116)	(26,771)	53,891

^{*}Not considered for calculating averages, figures in brackets are assumed figures

1. Name of State

Mysore and Andhra Pradesh (formerly in Hyderabad)

2. Scope of the scheme or system

Irrigation scheme; based on river flow and assistance from Tungabhadra reservoir; Ayacut 92,900 acres

3. Source of supply

Tungabhadra at Rajolibunda/Krishna

Irrigation uses upstream, both existing and contemplated

4. Not applicable

5 Description of the head-works

Anicut: masonry, 2,690 feet long, 31 feet high, capacity 750,000 cusecs

Outlets: scouring sluices, 3 vents, each 6 feet x 7 feet

River sluices: five vents, each 6 feet x 7 feet

Catchment area: 23,717 square miles (between Tungabhadra reservoir and anicut 12,837 square

miles)

6. Description of the canal

Rajolibunda Canal (contour); left bank; 89 miles long (first 26-27 miles in Mysore, rest in Andhra Pradesh); partly perennial and partly two seasonal; lined; authorised capacity 850 cusecs (771 cusecs at Mysore/Andhra Pradesh border)

7. Date of beginning of construction

1944

8. Date of beginning of operation

1958

9. Probable date of beginning of full operation

1962 in Mysore and 1963 in Andhra Pradesh

IRRIGATION ASPECTS

10. Gross commanded area, culturable commanded area and Ayacut, district-wise

State	Mysore	Andhra Pradesh	Total
District	Raichur	Mahbubnagar	
G.C.A.	8.0	132.7	140.7
C.C.A.	6.1	117.7	123.8
Ayacut	5.9	8 7.0	92.9

11. Ar ea irrigated annually and intensity of irrigation

<u>.</u>	Area	irrigated aunual	<i>y</i>	Intensity	of irrigation on A	Ayacut	
·	Mysore	Andhra Pradesh	Total	Mysore	Andhra Pradesh	Total	
		thousand acres-		per	centage-		
(i) Proposed	5.9	87.0	92.9	100.0	100.0	100.0	
(ii) Actual maximum	3.7	16.4	20.1	62.7	18.9	21.6	

12. Normal rainfall and river supply diverted

	[Rain	fall		River supply diverted						Capacity factor	
Monal	Norm	al	Maxi		Min	imum	Actual		roposed		(capaci	ty850cusecs)	
Month	1 -	Andhra Pradesh		Andhra Pradesh		Andhra Pradesh		Mysore	Andhra Pradesi	Total	Actual maxi- mum	Proposed	
1	L	3	4	5	6	,	_8_	9	10	11	12	13	
			-inches				·	-T.N	1.C.—				
June	3.0	3.5	9.3	7.5	0.7	7 0.8	Nil	0 .09	1.95	2.04	·	0.93	
July	4.0	5.0	7.1	13.6	0.5	5 2.2	0.62	0.16	1.95	2,11	0.27	0.93	
August	- 3.7	4.5	9.4	17.4	Ni	l 1.6	0.81	0.14	1.74	1.88	0.36	0.83	
September	6.1	6,0	10.2	12.9	1.3	0.9	0.94	0.16	1.62	1.78	0.42	0.81	
October	3.2	3.0	16.0	6.5	Ni	1 0.1	1.18	0.15	1.90	2.05	0.52	0.90	
November	0.8	1.3	5.3	4.0	,,	0.1	1.11	0.09	1.81	1.90	0.50	0.86	
December	0.1	0.1	0.9	0.6	,,	0.1	1.23	0.05	0.20	0.25	0.54	0.1 i	
January	0.2	0.1	1.5	0.7	,,	Nil	1.16	0.07	1.16	1,23	0.51	0.54	
February	0.3	0.3	2.2	0.5	. ,,	0.3	1.11	0.08	0.93	1.01	0.54	0.49	
March	0.3	0.3	1.6	2.6	,,	0.3	1.19	0.06	1.32	1.38	0.52	0.61	
A pril	0.6	0.8	1.7	3.0	,,	0.1	1.01	0.05	1.11	1,16	0.46	0.53	
May	1.6	1.5	5.7	10.4		0.4	Nil	0.05	0.24	0.29		0.13	
Total	23.9	26.4					10.36	1,15	15.93	17.03			
13.	No	t availab	le		600		9						

14. (a) Characteristics of soils in the commanded area

Mysore

Red loamy soils and medium to deep black soils; red loamy soils are pale yellow to bright red, shallow to medium, light texture and well drained. Medium to deep black soils are deep black to grey in colour; depth ranging up to 10 feet or more.

Andhra Pradesh

Mostly black soil; in some parts red loamy soil, sandy loam and silty loam, and clayey loam

(b) Has any study been made of the likely effect of the introduction of irrigation on soil characteristics?

Mysore

Yes, at Sirguppa Research Farm, Bellary District. No adverse effects on the soil due to introduction of irrigation are reported Andhra Pradesh

No

	e scheme came into operation

	Perennial		[K	harif		Rabi				Total	
	Percentage of . principal crops	Total area	Percentage of principal crops area					principal crops			area	cropped area
	Garden		Paddy	Groundnut	Jowar	Others	(T. acres)	Wheat	Jowar	Others	acres)	acres)
Mysore Andhra		0.4	0.5	7.0	24.0	18.5	3.0	0.5	23.5	18.5	2.6	6.0
Pradesh		_	8.0		25.0	67.0	66.4			· <u> </u>	_	66.4

(b) Are there any rules for regulating crop pattern?

Mysore

Andhra Pradesh

Legislation under consideration

Paddy and perennial areas are specified

16. Proposed pattern of irrigated cultivation

	Pere	nnial	!		Kharif			\overline{R}	abi		
•	Percentage of principal crops		Total	Percentage of principal crops		Total	Percentage of principal crops		Total area	Grand Total	
	Sugarcane	Garden	area (T.acres)	Paddy	Jowar	area (T.acres)	Paddy	Jowar	Others	(T. acres)	(T. acres)
Mysore		9.8	0.6	27.1	27.3	3.2	8.5	27.3		2.1	5.9
Andhra				~ 5			<u> </u>	-~-			
Pradesh	. 5.1		4.5	39.7		34. 5		55.2		48.0	87.0
Total			5.1	(C)		37.7				50.1	92.9

17. Actual crop pattern obtained after the introduction of irrigation

	-		C10/00/02/02/05/07/07					
	Perennial		Kharif		Kabi			
	Percentage of principal crops Garden	Total area (T.acres)	Percentage of principal crops Paddy	Total area (T.acres)	Percentage of principal crops Dry crops	Tota area (T, acres)	Grand Total (T.acres)	
Mysore Andhra	6.0	0.2	25.0	0.9	69.0	2.6	3.7	
Pradesh Total	_	0.2	56.5	9.3 10.2	43,5	7.1 9.7	16.4 20.1	

18. Duty and Delta at canal head

	•															
	As anticipated													As obtained		
	Duty (gcres per mean cusec)						Delia (feet)							Overall Delta		
	Perennial		Perennial Kharif		Ro	Rabi		Perennial		Kharif		b <u>i</u>		(feet)		
	Sugur- cane	Garden	Paddy	Others	Paddy	Others	Sugar- cane	Garden	Paddy	Others	Paddy	Others	Overall			
Mysore	_	100	40	140	35	120	_	7.3	6.7	1.8	8.3	2.4	4.2	11.8		
Andhra Pradesh	90		50			150	7.3		6.0		_	1.2	7.2	11.0		

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

Mysore

Andhra Pradesh

Nil

10 tanks not merged with the scheme

Number of wells in operation in the irrigated area and the area irrigated therefrom **(b)**

> Mysore Nil

Andhra Pradesh 190 wells

20. Quantum of river supplies available in relation to withdrawals

River supply likely to be adequate for canal requirements

21. to 24.

Not applicable

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

26. Total cost of the scheme

Original estimated cost Rs. 1,63 lakhs for both States Anticipated cost about Rs. 4,50 lakhs

27, Cost per acre irrigated Rs. 484

28. Not applicable

29. Financial return of scheme

(1) as anticipated

4.7 percent on original estimate, for anticipated cost figure not

available

(2) as obtained

Not available

30. Main features and purpose of the scheme

Mysore:

Conversion of 2,000 acres of dry crops to paddy and conversion of 4,000 acres

of rain-fed cultivation to irrigated cultivation

Andhra Pradesh: Conversion of rain-fed cultivation to irrigated agriculture (66,000 acres) and

extension of cultivation to uncultivated but cultivable areas (21,000 acres)

BHAIRAVANITIPPA PROJECT

1. Name of State

Andhra Pradesh (formerly in Madras)

2. Scope of the scheme or system

Irrigation scheme; flow-cum-storage; Ayacut 12,000 acres

3. Source of supply

Hagari at Bhairavanitippa/Tungabhandra/Krishna considerable upstream uses both existing and proposed

4. Description of the reservoir or tank

Live storage 2.31 T.M.C. Dead storage 0.32 ,,

Carry-over Nil

Annual reservoir losses

Filling period

Depletion period

Catchment area

0.78 T.M.C.

May to November

December to April

5,557 square miles

Area submerged 4,995 acres

Full reservoir level 1,655 (originally 1,650)

Minimum pond level 1,633

5. Description of the head-works

Dam : earthen, 6,714 feet long, 54 feet high

Spillway: 616 feet long, fitted with 12 gates, 40 feet x 15 feet each and 2 scour vents 16 feet x 10

feet each, total capacity 120,000 cusecs

Sluices: left side, one vent, 5 feet x 5 feet, capacity 181 cusecs; right side, one vent, 2.5 feet x 4

feet, capacity 83 cusecs

6. Description of the canals

Right Side Canal (contour); 9 miles long; two seasonal; unlined; authorised capacity
83 cusecs

Left Side Canal (contour); 15.4 miles long; two seasonal; unlined; authorised capacity

181 cusecs

7. Date of beginning of construction

December 1954

8. Date of beginning of operation

Partially, since November 1958

9. Probable date of beginning of full operation

July 1962

IRRIGATION ASPECTS

10. Gross commanded area, culturable commanded area and Ayacut, district-wise

District Anantapur

	Right Side Canal	Left Side Canal	Total
	tho	usand acres	
G.C.A.	5.7	12.5	18.2
C.C.A.	4.0	8.0	12.0
Ayacut	4.0	8.0	12.0

11. Area irrigated annually and intensity of irrigation (both canals)

Area irrigated annually Intensity of irrigation on Ayacut

(i) Proposed

17,000 acres

141.7 percent

(ii) Actual maximum

8,700 ,,

72.5 ,,

12. Normal rainfall and river supply diverted

	1	Rainfall	W.	Ri	er supp	ly diver	ted	Capacity factor			
		T	63	Actual maximum		Proposed		I	maximum		osed
Month	Normal	Maximum	Minimum	Left Bank Canal	Right Bank Canal	Left Bank Canal	Right Bank Canal	Left Bank Canal	Right Bank Canal	Left Bank Canal	Right Bank Canal
<u></u>	, 2	3	1 4	5	6	7	8	9	10	11	1 12
		inche	s	T O	——Т.М	r.C.——					
June	1.5	4.1	Nil 🐚	0.07	0.08	Nil	Nil	0.15	0.37	_	
July	2.0	4.3	0.9	0.22	0.09	,,	,,	0.45	0.41	-	_
August	4.0	6.1	0.7	0.22	0.11	0.43	0.22	0.45	0.50	0.89	0.99
September	4.5	7.5	1.1	0.20	0.09	0.45	0.23	0.43	0.42	0.96	1.07
October	3.5	13.4	0.1	0.26	0.15	0.40	0.20	0.54	0.68	0.82	0.90
November	1.8	5.8	Nil	0.26	0.14	0.36	0.18	0.55	0.65	0.77	0.84
December	0.2	1.6	,,	0.26	0.15	0.31	0.15	0.54	0.68	0.64	0.68
January	0.1	0.1	,,	0.20	0.16	0.11	0.05	0.41	0.72	0.23	0.25
February	0.3	0.3	,,	0.12	0.13	0.22	0.11	0.27	0.65	0.50	0.53
March	0.3	0.4	,,	0.19	0.11	0.22	0.11	0.39	0.50	0.45	0,50
April	0.8	3.9	,,	0.15	0.08	0.22	0.11	0.32	0.37	0.47	0.51
May	2.0	5.5	0.7	Nil	0.01	Nil	Nil		0.05	.—	
Total	21.0			2.15	1.30	2.72	1.36				
Total for both	canals			3.45			4.08				

13. Not available

14. (a) Characteristics of soils in the commanded area

Shallow red and black cotton soils

(b) Has any study been made of the likely effect of introduction of irrigation on soil characteristics?

No

15. Pattern of cultivation in the area commanded before the scheme came into operation.

Abi					Tabi			
Percentage of principal crops	Total area	1		entage o		• .	Total area	Total cropped area
Paddy	(T. acres)	Paddy	Jowar	Bajra	Ragi	Others	(T. acres)	(T. acres)
25.8	2.5	25.8	14.1	8.6	3.8	21.9	7.2	9.7

16. (a) Proposed pattern of irrigated cultivation

Abi		Tabi		
Percentage of	Total	Percentage of	Total	Grand Total
principal crops	area	principal crops	area	(T. acres)
Paddy	(T. acres)	Paddy	(T. acres)	
70.6	12.0	29.4	5.0	17.0

(b) Are there any rules for regulating crop pattern? No

17. Actual crop pattern obtained after the introduction of irrigation

Abi		Tab	b i			
Percentage of principal crops Paday	Total area (T. acres)	Percentage of principal crops Paday	· Total area (T. acres)	Grand Total (T• acres)		
58.6	5.1	41.4	3.6	8.7		

18. Duty and Delta at canal head

Abi

: August to December

Tabi

: January to April

As anticipated						As obtained			
Duty (acres per me	ean cusec)		Delta (feet)			Delia (feet)			
Abi	Tabi	Abi	Tahi	Overall	Ahi	Tabi	Overall		
55	40	5.6	5.3	5.5	10.4	7.3	9.2		

- 19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom 8 tanks and 4 spring channels with the Ayacut of 2,500 acres, merged with the Ayacut of the scheme
 - (b) Number of wells in operation in the irrigated area and the area irrigated therefr om 175 wells, area irrigated not available, merged with the Ayacut
- 20. Quantum of river supplies available in relation to withdrawals

River supply data not available

21. to 24.

Not applicable

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

Nil

26. Total cost of the scheme

Rs. 1,45 lakhs

27. Cost per acre irrigated

Rs. 1,211

28. Not applicable

29. Financial return of the scheme

(1) as anticipated

1.09 percent

(2) as obtained

Not available

30. Main features and purpose of the scheme

For conversion of dry cultivation to paddy

31. Special features of the scheme

Below this reservoir there are 22 spring channels irrigating 8,500 acres in Andhra Pradesh and 6 spring channels irrigating 1,575 acres in Mysore, for which supply has to be let down below the dam

सत्यमेव जयत

MUSI PROJECT

5B-K.10-A.5

1. Name of State

Andhra Pradesh (formerly in Hyderabad)

2. Scope of the scheme or system

Irrigation scheme; flow-cum-storage; Ayacut 38,000 acres

3. Source of supply

Musi/Krishna

Utilisation upstream:

existing : water supply to Hyderabad and Secunderabad and 20 anicuts

irrigating about 14,300 acres;

proposed: nil

4. Description of the reservoir or tank

Live storage	4.80 T.M.C.
Dead storage	0.25 ,,
Carry-over	1.19 ,,
Annual reservoir losses	1.10 ,,
Filling period	June to September
Depletion period	October to May
Catchment area	3,510 square miles
Area submerged	6,246 acres
Full reservoir level	R.L. 645
Minimum pond level	R.L. 610

5. Description of the head-works

earthen, 13,020 feet long; composite, 823 feet long and gravity, 247 feet long; Dam:

70 feet high

Outlets: twelve, 40 feet x 20 feet each,

Regulator: 8 vents, 40 x 15 feet each

Scour vents: ten 20 feet x 15 feet each, total capacity 375,090 cusecs

6. Description of the canals

Right Flank Canal (contour); 19 miles long; two-seasonal; unlined; capacity 330 cusecs Left Flank Canal (contour); 21 miles long; two-seasonal; unlined; capacity 330 cusecs

7. Date of beginning of construction

1953-54

8. Date of beginning of operation

1957-58

9. Probable date of beginning of full operation

1965

TRRIGATION ASPECTS

10. Gross commanded area, culturable commanded area and Ayacut, district-wise District Nalgonda

	Left Flank Canal	Right Flank Canal	Total
	——————thousand	d acres—————	
G.C.A.	34.5	31.2	65.7
C.C.A.	27.1	30.6	57.7
Ayacut	19.0	19.0	38.0

11. Area irrigated annually and intensity of irrigation

	Area irrigated annually	Intensity of Irrigation on Ayacut		
(i) Proposed	52,600 acres	138.4 percent		
(ii) Actual maximum	6,000 ,,	15.8		

12. Normal rainfall and river supply diverted

Rainfall			Left Flank Canaı				Right Flank Canal				
			River supply diverted Capacity factor			River supply diverted		Capacity factor			
Month	Normal	Maximum	Minimum	Actual maximum	Proposed	Actual maximum	Proposed	Actual maximun	Pro- posed	Actual maximum	
1	2	3	4	5	6	7	8	9	10	11	12
	in	iches	-	-T.M	.C.—	Y	٧ - ١	T.M.	.C		
June	3.7	8.1	0.6	Nil	0.10	3 -	0.12	Nil	0.10		[0.12
July	5.3	17.1	2.1	0.01	0.86	0.01	0.97	٠,,	0.86		0.97
August	4.1	12.9	1.2	0.04	0.81	0.05	0.92	,,	0.81	·	0.92
September	6.0	13.1	3.1	0.29	0.67	0.34	0.78	0.50	0.67	0.58	0.78
October	3.7	8.2	0.5	0.35	0.58	0.40	0.66	0.35	0.58	0.40	0.6 6
November	1.2	3.4	Nil	0.23	0.57	0.27	0.67	0.20	0.57	0.23	0.67
December	0.5	.0.5	,,	0.10	0.07	0.11	0.08	0.16	0.07	0.18	0.08
January	Nil	Nil	,,	Nil	0.04		0.05	0.02	0.04	0.02	0.05
February	0.3	1.6	,,	***	0.19	·	0.24	Nil	0.19		0.24
March 60.	0.1	2.2	,,		0.11		0.12	,,	0.11		0.12
April	0.8	4.0	. ,,		0.13	 ·	0.15	,,	0.13		0.15
May	1.0	2.7	,	,,	0.06	-	0.07	,,	0.06	· • • • • • • • • • • • • • • • • • • •	0.07
Total	26.7			1.02	4,19		4,	1.23	4.19		
Takal Can back	1 1	۱		A 1		. 0.05 7	340 T		0.00 7	3.5 ~	

Total for both canals

Actual maximum 2.25 T.M.C.; Proposed 8.38 T.M.C.

13. Not available

14. (a) Characteristics of soils in the commanded area

Sandy loams 85 percent, clayey loams 15 percent

(b) Has any study been made of the likely effect of the introduction of irrigation on soils characteristics?

No

15. Pattern of cultivation in the area commanded before the scheme came into operation

Kharif		Land left far	Total cropped	
Percentage of principal cro Bajra Jowar Groundnu 1	lotat area	Percentage	Total area (T. acres)	area (T. acres)
20.8 37.1 14.5	14.1 49.9	13.5	7.8	57.7

16. (a) Proposed pattern of irrigated cultivation

Abi		1	Rabi		
Percentage of principal crops Paddy	Total area (T. acres)	cro	[Total area (T. acres)	Grand Total (T. acres)
1 aday	(1. ucres)	Paddy Gr	een manure	(1.4(765)	
72.2	38.0	7.2	20.6	14.6	52 .6

(b) Are there any rules for regulating crop pattern?

No

17. Actual crop pattern obtained after the introduction of irrigation

Abi	
Percentage of principal crops	Total area (T. aeres)
Paddy	
100.0	6.0

18. Duty and Delta at canal head

			As ant	icipated		1	As obtained
(acres pe	Duty acres per mean cusec)			सन्धमन	Detta (feet)		
Kharif (Abi) Paddy	Rabi (Tabi) Paddy	Green manure	Kharif (Abi) Paddy	Rabi (Tabi) Paddy	Green manure	Overall	Kharif (Abi)
72	40	216	5.1	7.1	0.6	3.7	8.8

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

126 tanks, irrigating 5,177 acres, not included the Ayacut

(b) Not available

20. Quantum of river supplies available in relation to withdrawals

River supply data not available

21. to 24.

Not applicable

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

Nil

26. Total cost of the scheme

Rs. 2,50 lakhs (revised)

27. Cost per acre irrigated

Rs. 475

28. Not applicable

29. Financial return of the scheme

(i) as anticipated

2.47 percent

(ii) as obtained

varies from 1.67 percent to 3.57 percent

30. Main features and purpose of the scheme

Conversion of rain-fed cultivation to irrigated Paddy



1. Name of State

Maharashtra (formerly in Bombay)

Scope of the scheme or system

Multipurpose; flow-cum-storage; power, 4 units of 1,200 k.W. each; the tail race waters discharge into the river and are diverted for irrigation by lift from above Kolhapur type The lifts involved range from 100 feet to 120 feet. The lifts in the Bhogavati Valley are mostly private; in the Panchganga Valley, Government managed.

3. Source of supply

Bhogawati/Panchganga/Krishna

Utilisation upstream:

existing: nil

a subsidiary storage to augment supplies to the Radhanagari storage proposed: (see 30C.3-K.1-M.15)

6.0 T.M.C.

4. Description of the reservoir or tank

Live storage	6.0 T.M.C.
Dead storage	0.3 ,,
Carry-over	2.0 ,,
Annual reservoir losses	0.6 ,,
Filling period	15th June to end of September
Depletion period	15th June to 14th June
Catchment Area	42.5 square miles
Area submerged	4,288 acres
Full reservoir level	R.L. 1,939
Minimum pond level	R.L. 1,857

5. Description of the head-works

: masonry, 3,750 feet long, 126 feet high

: seven gates, 47 feet 6 inches × 3 feet each, total capacity 18,000 cusecs, and Spillway

10,000 cusecs by open weir, 350 feet long

: under sluices, five, 8 feet ×8 feet 9 inches each, total capacity 30,000 cusecs; Outlets

two, seven feet diameter penstocks, capacity 700 cusecs

Not applicable 6.

1940 7. Date beginning construction

Date of beginning of operation

Irrigation 1951-52; Power 1953-54

In full operation since 1953 9. Probable date of beginning of full operation

IRRIGATION ASPECTS

10. Gross commanded area and culturable commanded area, district-wise

No direct irrigation (irrigation by private and Government lift schemes). The area is scattered along the river banks in Kolhapur district and G.C.A. and C.C.A. are not available

11. Area irrigated annually and intensity of irrigation (See Annexure I)

Area irrigated annually

(i) Proposed

Not available

(ii) Actual maximum during 7 years

19,700 acres

12. Normal rainfall and river supply diverted

			·		Cangalta
Month		Rainfall		River supply diverted	Capacity factor
	Normal	Maximum			jucior
1	2	3	4	5	6
		_—inches——		T.M.C	
June	6.0	14.6	1.2		
July	13.4	35.9	2.1		
August	7.4	22.1	1.2		
September	4.4	30.8	0.3	100	
October	4.5	20.3	0.2	Not available	Not available
November	1.4	14.9	Nil		
December	0.2	3.8	1,170	149	
January	0.1	2.2		10	
February	Nil	0.8	124	3/7	
March	0.2	2.8	11	172	
April	10	6.7	,	0.50	
May	2.0	6.3	सन्यमेव	न्यते	- -
Total	40.6		-10-4-1-4	6.5*	;
. · · · · · · · · · · · · · · · · · · ·	Assumed				

13. Not available

14. (a) Characteristics of soils in the commanded area

Sandy to sandy loam 20 percent; silty loam to clay loam 20 percent and clay loam to clay 60 percent. Depth of soil is more than 18 inches

(b) Has any study been made of the likely effect of introduction of irrigation on soil characteristics?

No

15. Pattern of cultivation in the area commanded before the scheme came into operation

P	erennial			Khar	if			Rabi		(
Percenta principal		Total area			Total area	Percenta principa		Total area	Total croppes area (T. acres)	
Sugarcane	Others	(T. acres)	Paddy	Others	Groundaut	(T. acres)	Wheat	Others	(T. deres)	(1. 42783)
				Talı	ika Radha	nagari		· · · · · · ·		
10.3	21.6	20.2	36.1	25.0	3.9	41.3	2.0	1.1	2.0	63.5
				Talı	ıka Karvi	r				
11.9	21.9	37.2	2 5. 5	21.9	9.2	63.3	6.4	2.2	9.5	110.0
		_		_		1	7			

Note: figures given above are for the taluka as a whole

16. (a) Proposed pattern of irrigated cultivation

None

(b) Are there any rules for regulating crop pattern? No

17. Actual crop pattern obtained after the introduction of irrigation

(See Annexure 1

Perennial		Kharif			Rabi		Hot weath	Grand	
Percentage of	10,44	Percenta	9 -		Percentage of	Total	Percentage of	Total	Total
principal crops	urcu	principa		**** ****	principal crops		principal crops		T.
Sugarcane	(T.acres)	Paddy	Others	(T.acres)	Wheat	(T.acres)	Others	(T.acres)	acres)
93.4	18.4	3.6	0.5	0.8	1.0	0.2	1.5	0.3	19.7

18. Duty and Delta at canal head

Particulars not available. For sugarcane, the delta should be about 8.0 feet and for the rest about 1.0 feet

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

Nil

- (b) Not available
- 20. Quantum of river supplies available in relation to withdrawals

See item 24 below

POWER ASPECTS

21. River supplies diverted and operation head

-	A	ctual maxim	um	As p		
Month		Range of operation head (feet)			operation d (feet)	Supply passing through
	from	to	turbines (cusecs)	from	to	turbines (cusecs)
June	77.7	85.1	304	77,7	85.1	286
July	84.4	111.4	468	84.4	111.4	253
August	111.7	116. 9	478	111.7	116.9	272
September	116.7	116.3	509	116.7	116.3	285
October	116.4	115.6	250	116.4	115.6	200
November	115.6	112.8	196	115.6	112.8	195
December	112.7	104.6	210	112.7	104.6	234
January	107.9	103.8	201	107.9	103,8	218
February	103.7	99.0	280	103. 7	99.0	221
March	98.8	92.5	338	98.8	92.5	258
April	92.3	85.4	372	92.3	85.4	241
May	84.2	77.9	350	84.2	77.9	227
Total			10.42 T.N	IC		7.60 T.M.C.

22. Disposal of tail-race waters

Tail race water is let down into the river and except for the monsoon period, is fully diverted for irrigation of sugarcane at the following Kolhapur type weirs:

सन्यमेव जयते

On Bhogawati

- 1. Tarale
- 2. Shirgaon
- 3. Rashiwade
- 4. Koge
- 5. Hardi

Particulars of monthwise divertion are not available

On Panchanganga

- 6. Rajaram
- 7. Surve
- 8. Rui
- 9. Terwali
- 10. Shinot

23. Development of load compared with power potential provided

Year	Power load at 0.4 L.F. (k.W.)	Power produced in k.W. at 0.4 L.F.	Percentage of Col. 3 Col. 2
1956	3,750	2,666.48	71.1
1957	3,750	4,061.70	108.3
1958	3,750	4,570.00	121.9
1959	3,750	4,650.55	124.0
1960	3,750	4,007.15	106.9

24. Quautum of river supplies available in relation to withdrawals

River supplies available are in excess of requirements of this project

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

Water supply to Kolhapur town

0.4 T.M.C.

Total cost of the scheme 26.

Rs. 1,70 lakhs (estimated)

27.

Not available

Rs. 3,542

Cost per k.W. power produced 28. **29**.

Not available

30. Main features and purpose of the scheme

Sugarcane cultivation of about 18,000 acres and electricity for Kolhapur

सत्यमेव जयते

44
RADHANAGARI PROJECT

STATEMENT SHOWING AREA IRRIGATED BY CROPS

Annexure I

		•	, ,					
	l .	Area	irrigated	by crops				
Year	Perennial]	Kharif		Rabi	Hot Weather	Grand Tota	
	Sugarcane	Paddy	Others	Total	Wheat	Others		
	Project pu	it into coi	mmission	in 1952,	figures for	the years		
		1951-52	to 1953-	54 not av	ailable			
1954-55	9,900	NiÌ	Nil	Nil	2,100	Nil	12,000	
55-56	12,300	"	**		1,400	,,	13,700	
1956-57	12,500	,,	,,	,,	500	,,	13,000	
57-58	12,700	,,	,,	,,	100	"	12,800	
5 8-59	14,000	,,	,,	,,	1,500	,,	15,500	
59-60	12,600	500	100	600	200	200	13,600	
60-61	18,400	700	100	800	200	300	19,700	
Average for the								
7 Years 1954-55			- Conti	200				
to 1960-61	13,200	171	29	200	857	71	14 ,3 28	
							•	
			Shift.					
			10	1888		•	•	
			g de la	TENT				
				931/2	}			
			-	The second lives				

GHOD DAM PROJECT

7 B-K.5-M. 2

1. Name of State

Maharashtra (formerly in Bombay)

2. Scope of the scheme or system

Irrigation scheme; flow-cum-storage; C.C.A. 103,600 acres

3. Source of supply

Ghod at Chinchani/Bhima/Krishna

Utilisation upstream: minor irrigation works diverting about 1.32 T.M.C.

4. Description of reservoir or tank

Live storage 6.03 T.M.C.

Dead storage 1.61 ,,

Carry-over 1.00 ,,

Annual reservoir losses 2.02 ,,

Filling period 15th June to 30th September

Depletion period 15th June to 14th June

Catchment area 1,401 square miles
Area submerged 8,800 acres

Full reservoir level R.L. 1,800
Minimum pond level R.L. 1,770

5. Description of the head-works

Dam: earthen, 8,738 feet long, 94 feet high

Spillway: 30 radial gates, each 30 feet × 20 feet, total capacity 262,000 cusecs

Outlets: two vents, each 5 feet x 5 feet, total capacity 492 cusecs and three vents, each

6.5 feet × 6.5 feet, total capacity 1,390 cusees

6. Description of the canals

Ghod Right Bank Canal (contour); 19 miles long; perennial; unlined; authorised capacity

180 cusecs

Ghod Left Bank Canal (contour); 54 miles long; perennial; unlined; authorised capacity
500 cusecs

7. Date of beginning of construction 1954

8. Date of beginning of operation

A part of Left Bank Canal was put into operation in July, 1958

9. Probable date of beginning of full operation October 1962

IRRIGATION ASPECTS

10. Gross commanded area and culturable commanded area, district-wise

	Item	Names Poona	of districts Ahemdn	agar Total
			-thousand arc	es
	Right	Bank Canal	Left Bank (Canal
	G.C.A.	34. 5	96.4	130.9
	C.C.A.	28.9	74.7	103,6
1.	Area irrigated annually and	intensity of	irrigation (See Annexure I)
		Area irrigated	l annually	Intensity of irrigation
	(i) Proposed Right Bank Canal	17,600	acres	60.9 percent
	Left Bank Canal	44,800		60.0
	Lort Dank Canar	71,000	"	00.0 ,,
	(ii) Actual maximum	41,000	**	,, ·

12. Normal rainfall and river supply diverted

	1	Rainfall		River s	upply a	liverted	! *	Cap	acity factor	
		Numjuu		4 . 1	Proposed				Psopo	sed
Month	Normal	Maximum	Minimum		Right Bank Canal	Bank	Total	Actual Maximum	Right Bank Canal	Left Bank Canal
I	2	3	4	5	6	7	8	9	10	11
	ii	nches	- the	ous <mark>and mill</mark>	ion cub	ic feet	(T.M.	<i>C</i> .)		
June	3.7	10.9	0.1	(from 15	th June	to 14	th Oct	ober,		
July	2.5	9.6	0.3	LAN	La		•		•	
August	2.0	10.9	0.2	0.12	0.91	2.95	3,86	0.02	0.48	0.56
September	5.5	13.9	Nil	The state of the s	25					
October	2.7	9.4	**	(from 1	5th Oc	tober t	o 14th	February))	
November	1.1	9.9	,,	পর্যপ্র	পাণ্য				-	. ,
December	0.3	4.3	,,	0.59	0.95	2.41	3.36	0.11	0.50	0.45
January	0.1	2.5	,,							
February	0.1	0.7	,,	(from 15	h Feb	ruary t	o 14th	June)		
March	0.1	1.8	,,	Nil	0.35	0.86	1.21	Nil	0.19	0.17
April	0.4	8.0	,,							•
May	0.9	4.5	,,							
Total	19.4			$\frac{-}{0.71}$	2,21	6,22	8.43			

^{*} Data for actual canal withdrawals not available

13. Not available

14. Characteristics of soils in the commanded area

	Right B	ank Canal	Left Bank Cana		
Sandy to sandy loam	40 p	ercent	41 p	ercent	
Silty loam to clayey loam	30	,,	31	,	
Clayey loam to clay	30	,,	28	,,	

(b) Has any study been made of the likely effect of the introduction of irrigation on soil characteristics?

Yes. Indiscriminate localisation of sugarcane is likely to lead to water-logging. If after completing the drainage classification of soils, the perennial irrigation is localised to suitable areas having good natural drainage, there would be no detrimental effect.

15. Pattern of cultivation in the area commanded before the scheme came into operation

	wo seasor	ials		Kharif		Rabi					
Percen princ		Total area	Percentage of principal crops		Total area	Percentage of principal crops				Total area	Total cropped area (T. acres)
Cotton	Oilseeds	(T. acres)	Bajri	Others	(T. acres)	Jower	Pulses	Wheat	(T. acres)		
1.0	5.0	6,2	4.0	5.5	9,8	76.5	7.0	1.0	87.6	103.6	

16. Proposed pattern of irrigated cultivation

Perenn	ial	Two seaso	Two seasonals Kharif Rabi						Grand		
Percentage of principal crops	Total area	Percentage of principal crops	Total area (T.	Percentage of principal crops	Total area (T.		ntage rinci- crops	Total area (T.	Total (T, acres)		
Sugarcane	$\left (T.acres) \right $	Cotton	acres)	Cereal	acres)	Wheat	Jowa r				
			(Righ	it Bank Canal)			·	,·			
9.2	1.6	22.7	4.0	39.7	7.0	5.0	23.4	5,0	17.6		
			(Left	Bank Canal)							
10.7	4.8	22.3	10.0	40.2	18.0	5.0	21.8	12,0	44,8		

(b) Are there any rules for regulating crop pattern?

No; but crop pattern will be regulated by contract provisions

17. Actual crop pattern obtained after the introduction of irrigation*

irrigation just started and not fully developed

Percen prir	Two seaso tage of ncipal rops	Total area	Percen princ	•	rif Total area	Percen princ		Total area	Grand Total (T. acres)
Cotton	Others	(T mana)	Bajri	Others	(T. acres)	Wheat	Jowar	(T. acres)	
4.0	0.8	0.6	7.3	1.6	1,1	5.6	80.7	10.7	12.4

^{*}During 1960-61 (year of maximum river supply diverted)

18. Duty and Delta at canal head

Kharif—15th June to 14th October

Rabi —15th October to 14th February

Hot weather—15th February to 14th June

					As an	ticipa	ted						As obtained
	(aci		Duiy mean	cusec)						elta feet)		-	Overall
	Kh	arif	Ra	bi	Hot w	Land Court		harif		Rabi	t .	veather	Delta
			Right Bank	Left Bank	Right Bank	Left Bank	Right Bank	Left Bank	Righ. Bank	Lefr Bank	Right Bank	Left Bank	(feet)
Sugarcane	65	65	70	70	50	50	3.9	4.3	3.7	4.0	5.0	5.5	
Two seasonals	130	130	140	140	- Ank		1.9	2.2	1.8	2.0			
Kharif	195	195			- 1 //	i A 7/	1.3	1.4			, 		
Rabi	-		210	210	13	H	13/2		1.2	1.3			
Right Bank Cana (overall delta)	al ·					٠					2.9 fee	et {	1 2
Left Bank Canal (overall delta)	l				सव	मेव ज	यते				3.2 fee	et \int	1.3

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

Nil

(b) Number of wells in operation in the irrigated area and the area irrigated therefrom

510 wells in the commanded area, each irrigating about 2 to 3 acres of seasonal crops, area included in C.C.A.

20. Quantum of river supplies available in relation to withdrawals

River supply much is excess of requirements of this scheme

21. to 24. Not applicable

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

Nil

26.	Total cost of the scheme	Rs. 4,99 lakhs
27.	Cost per acre irrigated	Rs. 673
28 .	Not applicable	
29.	Financial return of the scheme	

(i) as anticipated 2.29 percent (ii) as obtained Not available

30. Main features and purpose of the scheme

Conversion of rain-fed cultivation to irrigated agriculture



GHOD DAM PROJECT

STATEMENT SHOWING AREA IRRIGATED BY CROPS

Annexure I

	Area irrigatea by crops (acres)										
Year	T_1	vo seaso	nals		Kharif			Rabi			Grand Total
	Cotton	Others	otal	Bajri	Others	Total	Wheat	Jowar	Others	Total	Grana 10tai
1958-59	-			-		~~		2,700		2,700	2,700
59-60			_	-	100	100	300	14,400	300	15,000	15,100
60-61	500	100	600	900	200	1,100	700	10,000	_	10,700	12,400
Average for the period 1958-59 to											
1960-61	167	33	200	300	100	400	333	9,034	100	9,467	10,067

सन्यमेव जयते

Note: (i) Irrigation on Ghod Left Bank Canal started in 1958-59

(ii) No irrigation yet on Ghod Right Bank Canal

1. Name of State

Maharashtra (formerly in Bombay)

2. Scope of the scheme or system

Irrigation scheme; flow-cum-storage; C.C.A. 13,620 acres

3. Source of supply

Belvan Nalla near Budhial/Man/Bhima/Krishna

Utilisation upstream: nil

4. Description of the reservoir or tank

Live Storage

1.1 T.M.C.

Carry-over

Nil

Annual reservoir losses

0.1 T.M.C.

Filling period

Middle of June to end of September

Depletion period

Middle of October to middle of February

Catchment Area

141 square miles

Area submerged

1,570 acres

Full reservoir level

R.L. 1,743

Minimum pond level

R.L. 1,710

5. Description of the head-works

Dam:

earthen, 8,400 feet long, 61 feet high

Spillway: 1,350 feet long, capacity 83,000 cusecs

Outlet: capacity 200 cusecs

6. Description of the canal

Budhial Canal (contour); left bank; 16.5 miles long; one-seasonal; unlined; authorised

capacity 162 cusecs

7. Date of beginning of construction

Started in 1899 as famine relief work, re-started in 1953

8. Date of beginning of operation

1957-58

9. Probable date of beginning of full operation

June 1963

IRRIGATION ASPECTS

10. Gross commanded area and culturable commanded area, district-wise

District

Sholapur

G,C.A.

13,900 acres

C.C.A.

13,600 ,,

11. Area irrigated annually and intensity of incigation

Area	a irrigated annuall	yΙ	Intensity of irrigation
(i) Proposed	10,500 acres	}	77.2 precent
(ii) Actual maximum	7,000 ,,		51.5 ,,

12. Normal rainfall and river supply diverted

	F	Rainfull		River su	pply diverted	Capa	city factor
Month	Normal	Maximum	Minimum	Actual Maximum	Proposed		Proposed
1	2	1 3	4	5	6	7	8
		inches		T.A	1.C		
June	2.9	9.3	0.1	0.09		•	
July	2.4	10.8	0.1	0.06			
August	2.2	16.8	Nil	0.05	15th June to	14th October	
September	5.7	17.3	0.6	0.01	Nil	0.10	
October	3,3	9.4	0.1	Nil			
November	1.2	10.7	Nil	0.01			
December	0.3	6.3) 3	0.07	15th Octo	ber to 14th Febr	uary
January	0.1	1.6	11.03	0.06	0.80	0.08	0.46
February	0.1	1.7	6	Nil			
March	0.2	1.8	27	0.15	15th Febru	ary to 14th June	-
April	Nil	2.2	, 6	0.15	Nil	0.25	
May	0.1	5.6	, 1	0.08			
Total	18,5		g de	0.73	0.80		
13.		Not availa	ble				

14. (a) Characteristics of soils in the commanded area

Sandy to sandy loam 30 percent, sandy loam to clayey 40 percent and clayey to clay 30 percent

(b) Has any study been made of the likely effect of the introduction of irrigation on soil characteristics?

No

15. Pattern of cultivation in the area commanded before the scheme came into operation

Perennial	1 wo seasonal	Kharif		Rabi	Total
Percentage Total		Percentage	Total	Percentage	Totalcropped
of principal area	of principal area	of principal	area	of principal	area area
Sugarcane (T. acres)	crops $(T.$	crops	T.	crops	+(T, +(T, -))
Sugarcane acres)	Cotton Others acres	Paddy Bajri, Others	acres)	Jowar Wheat Other	s acres) acres)

0.2 — 1.5 2.3 **0.5** 0.3 28.2 9.5 **5.1** 52.0 1.7 4.3 **7.8** 13.4

16. (a) Proposed pattern of irrigated cultivation

Rabi	
Percentage of principal crops	Total area
Seasonals	(T, acres)
100.0	10.5

(b) Are there any rules for regulating crops pattern?

No

17. Actual crop pattern obtained after the introduction of irrigation

Two seas	onal	Khari	f	Rabi		Hot wed	ther	[
Percentage of principal crops	Total area (T.	Grand Total (T.						
Others	acres)	Others	acres)	Wheat Jowar	acres)	Others	acres)	acres)
4.3	0.3	68.6	4.8	1.4 21.4	1.6	4.3	0.3	7.0

18. Duty and Delta at canal head

Rabi-15th October to 14th February

As anticipated		As obtained
Duty (acres per mean cusec)	Delta (feet)	Overall Delta (feet)
Rabi	Rabi	(Jeer)
140	1.7	2.4

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

Ni

(b) Number of wells in operation in the irrigated area and the area irrigated therefrom

194 wells, area irrigated included in C.C.A.

20. Quantum of river supplies available in relation to withdrawals

River supply data not available

21. to 24. Not applicable

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

Ni.

26. Total cost of the scheme
27. Cost per acre irrigated
Rs. 63 lakhs
Rs. 600

28. Not applicable

29. Financial return of the scheme

(i) as anticipated 1.7 percent (ii) as obtained Not available

30. Main features and purpose of the scheme

Conversion of rain-fed cultivation to irrigated agriculture



MANGI TANK

9B-K, 5-M, 4

1. Name of State Maharashtra (formerly in Bombay)

2. Scope of the scheme or system

Irrigation scheme; flow-cum storage; C.C.A, 10,000 acres

3. Source of supply

Kanola nalla at Mangi/Sina/Bhima/Krishna

Utilisation upstream: existing: nil proposed: nil

4. Description of the reservoir of tank

Live storage 1.2 T.M.C.
Carry-over 0.6 ,,
Annual reservoir losses 0.2 ,,

Filling period 15th June to end of September
Depletion period 15th October to 14th February

Catchment area 118 square miles

Area submerged 960 acres
Full reservoir level R.L. 1,766
Minimum pond level R.L. 1,724

5. Description of the head-works

Dam : earthen, 4,838 feet long, 75 feet high Spillway: 800 feet long, capacity 79,000 cusecs

Outlets: two 5 feet × 4 feet, total capacity 140 cusecs and one, 5 feet × 4 feet, capacity

70 cusecs

6. Description of the canals

Right Bank Canal (contour); 18 miles long; two seasonal; unlined; authorised capacity

110 cusecs

Left Bank Canal (contour); 6 miles long; two-seasonal; unlined; authorised capacity
30 cusecs

7. Date of beginning of construction

Commenced in 1921, left incomplete till 1953, when work was re-started

8. Date of beginning of operation

Right Bank Canal 15th October, 1957 Left Bank Canal 8th April, 1960

9. Probable date of beginning of full operation October 1962

IRRIGATING ASPECTS

10. Gross commanded area and culturable commanded area, district-wise (both canals)

District

Sholapur

G.C.A.

11,400 acres

C.C.A.

10,000 ,,

11. Area irrigated aunually and intensity of irrigation

	,	Area irrigated annually	Intensity of irrigation
1.	Proposed -	9,700 acres	97.0 percent
2.	Actual maximum	3,600 ,,	36.0 ,,

12. Normal rainfall and river supply diverted

		Rainfall		River su	pply diverted	Capacity factor		
Month	Normal	Maximum	Minimum	Acıual maximum	Proposed	Actual maximum	Proposed	
1	2] 3 ,	4	5	6	7 [8	
	lı	nches———		T. M. C	C.———			
June	4.0	18.9	0.1	0.01	15th June 1	to 14th Oct.		
July	3.4	15.0	0.1	0.02				
August	3.0	11.5	Nil	0.01	0.32	0.03	0.21	
September	6.7	19.0	0.4	0.02				
October	2.7	22.8	Nil	0.03	15th Oct. t	o 14th Feb.		
November	1.0	7.9	,,	0 03				
December	0.2	6.0	,,	0.03	0.60	0.06	0.41	
January	0.2	2.9	, 1	0.04	•			
February	0.1	1.6	,,	0.06	15th Feb.	to 14th June	•	
March	0.2	` 1.9	, C	0.07				
April	0.4	1.8	,,	0.05	Nil	0.03		
May	0.7	3.7	**	0.03	· · ·			
Total	22.6			0,40	0.92			

Not available 13,

14. (a) Characteristics of soils in the commanded area

Sandy loam 35 percent, silt loam to clay loam 35 percent and clay loam to clay 30 percent

(b) Has any study been made of the likely effect of the introduction of irrigation on soil characteristics?

No

15. Pattern of cultivation in the area commanded before the scheme came into operation

Kharif'			Rabi		Total cropped
Percentage of principal crops	Total area	Percer princip	ntage of oal crops	crops area ar	
Others	(T. acres)	<u>Jowar</u>	Uthers	(T. acres)	(T. acres)
27.0	2.7	62.0	11.0	7.3	10.0

16. (a) Proposed pattern of irrigated cultivation

Two seasonal		Kabi	1	
Percentage of	Total	Percentage of	Total	Grand Total
principal crops	area	principal crops	area	(T. acres)
Othe r s	(T. acres)	Jowar	(T. acres)	
40.2	3.9	59.8	5.8	9.7

(b) Are there any rules for regulating crop pattern?

No

17. Actual crop pattern obtained after the introduction of irrigation*

		Two sea.	sonal	Kharif			Rabi		
_	Percei of pri cro	· -	Total area (T. acres)	Percentage of principal crops Others	Total area (T. acres)	Percei of prin cre Wheat		Total area (T. acres)	Grand Total (T. acres)
_	17.6	5.9	0.4	5.9	0,1	5.9	64.7	1,2	1.7

^{*} During 1959-60 year of maximum river supply diverted, complete data for 1960-61 not available

18. Duty and Delta at canal head

As anticipated	100	As obtained
Duty (acres per mean cusec)	velta (feet)	ve lia (feet)

Overall

225

2.2 5.4

19. (a) Number of tanks in operation in the irrigated area and the area irrigat: 1 therefrom

_ Nil

(b) Number of wells in operation in the irrigated area and the area irrigated therefrom

77 wells, irrigating about 230 acres of seasonal crops, included in C.C.A.

20. Quantum of river supplies available in relation to withdrawals kiver supply data not available

21. to 24.

Not applicable

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any required for these aspects; financial returns

Nil

26. Total cost of the scheme

Rs. 59 lakhs

27. Cost per acre irrigated

Rs. 766

28.

Not applicable

29. Financial return of scheme

(i) as anticipated

Nil

(ii) as obtained

Not available

30. Main features and purpose of the scheme

Conversion of rain-fed cultivation to irrigated agriculture



KHASAPUR TANK

1. Name of State

Maharashtra (formerly in Hydrabad)

2. Scope of the scheme or system

Irrigation scheme; flow-cum-storage; C.C.A. 13,500 acres

3. Source of supply

Dunda nalla at Khasapur/Sina/Bhima/Krishna

Utilisation upstream:

nil

4. Description of the reservoir or tank

Live storage	0.6 T.M.C.
Dead storage	0.1 ,,
Carry-over	0.1 ,,
Annual reservoir losses	0.3 ,,
Filling period	15th June to 30th September
Depletion period	15th June to 14th February
Catchment area	214 square miles
Area submerged	1,300 acres
Full reservoir level	R.L. 1,677
Minimum pond level	R.L. 1,660

5. Description of the head-works

Dam : earthen, 5,020 feet long, 56 feet high

Spillway: capacity 35,800 cusecs

Head regulators: right bank, two vents, one feet diameter

left bank, two vents, 2 foot x 21 foot each

6. Description of the canals

Right Bank Canal (contour); 11 miles long, two-seasonal; unlined; authorised capacity 32 cusecs

Left Bank Canal (contour); 9 miles long; two-seasonal; unlined; authorised capacity

7. Date of beginning of construction 1949
8. Date of beginning of operation 1954-55

9. Probable date of beginning of full operation

October 1962

IRRIGATION ASPECTS

10. Gross commanded area and culturable commanded area, district-wise

District	Osmanabad		
	Right Bank Canal	Left Bank Canal	Total
		housand acres-	يبسب ويدين ياسم خارانه المسب الكراث
G.C-A.	9.5	5.5	15.0
C.C.A.	8.5	5.0	13.5

11. Area irrigated annually and intensity of irrigation

Ā	1rea irrigated an	inually	Intensity of i	rrigation
(i) Proposed	10,400	acres	77.0	percent
(ii) Actual maximum	7,700	**	57.0	,,

12. Normal rainfall and river supply diverted

<u></u>		Rainfall		River st	upply diverted	Capacity	Capacity factor	
Month	Normal	Maximum	Minimum	Actual* Maximum	Proposed	Actual maximum	Proposed	
1	2	3	4	5	6	7	8	
		——inches—		—_T.M.C	·			
June	4.1	12.5	0.4	0.06				
July	4.1	13.8	1.0	0.09	15th June to 14	th October		
August	3.8	11.0	0.1	0.05		0.36	0,81	
September	7.0	18.8	0.4	0.05	0.55			
October	3.1	7.6	Nil	0.03				
November	1.0	6.7	,,	0.10	15th October to	14th Februar	y	
December	0.2	3.0	,,	0.17		0.54	0.66	
January	0.2	1.8	11 000	0.09	0.45			
February	0.1	1.0	, Ess	Nil	15th February	to 14th June		
March	0.2	1.0	, ,	ſ , ,	Nil	0.17		
April	0.4	1.2	, 63	0.03				
May	0.8	7.8	,, 1	0.05				
Total	25.0	-	di	0.72	1.00			

^{*}Data for actual caral withdrawals not available

14. (a) Characteristics of soils in the commanded area

Sandy to sandy loam 30 percent, silty loam to clay loam 40 percent, and clay loam to clay 30 percent.

(b) Has any study been made of the likely effect of introduction of irrigation on soil characteristics?

^{13.} Not available

15. Pattern of cultivation in the area commanded before the scheme came int operation

	Perennic	ıl .	1		Kha	rif			Rabi		- 1	
of	ercentage principal crops	Total area (ercenta of princ crops			Total area (T.	ofp	centage rincipa cróps		Total area (T.	Total cropped area (T. acres)
Cotton	Others	acres)	Paddy	Bajri C	roundni	Pulses	acres)	Whea	t Jowar	Pulses	acres)	<u> </u>
2.0	5.4	1.0	3.0	1.5	5.0	13.5	3,1	4.5	61.0	4.1	9,4	13.5

16. (a) Proposed pattern of irrigated cultivation

Two se	easonal	Kha	arif	Rabi	<u></u>	
Percentage of principal crops Others	Total area (T. acres)	Percentage of principal crops Others	Total ares (T. acres)	Percentage of principal crops Jowar	Total area (T. acres)	Grand Total (T. acres)
41.4	4.3	37.5	3.9	21.1	2.2	10.4

(b) Are there any rules for regulating crop pattern?

17. Actual crop pattern obtained after the introduction of irrigation

	Two	seasonal	K	harif		R	abi		
of pr	entage rincipal ops Others	Total area (T. acres)	Percentage of principal crops Others	Total area (T. acres)	of	ercentage principa crops Wheat		Total area (T. acres)	Grand Total (T. acres)
4.4	2.4	0.5	7.1	0.5	63.7	5.7	16.7	6.7	7.7

18. Duty and Delta at canal head

Kharif—15th June to 14th October

Rabi - 15th October to 14th February

Hot weather- 15th February to 14 May

9 As anti	icipated	As obtained				
Duty	Delta					
(acres per mean cusec)	(feet)	(feet)				
Overall	Overall	Kharif	Rabi	Hot weather	Overall	
222	2.2	3.4	1.1	4.6	2.1	

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

Nil

- (b) Number of wells in operation in the irrigated area and the area irrigated therefrom 126 wells, irrigating 2 to 3 acres each, included in C.C.A.
- 20. Quantum of river supplies available in relation to withdrawals

River supply data not available

21, to 24, Not applicable

GENERAL

25. Aspects other than irrigation and power water supply; (month-wise), if any, required for these aspects; financial returns

· Nil

26. Total cost of the scheme
27. Cost per acre irrigated
Rs. 51 lakhs
Rs. 493

28. Not applicable

29. Financial return of the scheme

(i) as anticipated 0.34 percent (ii) as obtained Not available

30. Main features and purpose of the scheme

Conversion of rain-fed cultivation to irrigated agriculture



GHATAPRABHA PROJECT (STAGES I AND II)

11B-K, 3-My.1

1. Name of State

Mysore (formerly in Bombay)

2. Scope of the scheme or system

Irrigation scheme; flow-cum-storage; Ayacut 298,000 acres; merges into it the Gokak Canals (19A-K-3-My.1)

3. Source of supply

[i] Ghataprabha at Hidkal* [ii] Ghataprabha at Dhupdal/Krishna

No existing diversion upstream of Hidkal reservoir, except two small lift irrigation schemes, Kolchi weir and Gotur weir on Hiranyakeshi/Ghataprabha, diverting about 1.85 T.M.C. and irrigating about 3,554 acres in Mysore and 4,612 acres in Maharashtra.

4. Description of the dam and reservoir or tank

Live storage

20. 2 T.M.C.

Dead storage

3.1

Carry-over

Nil

Annual reservoir losses

1.85 T.M.C.

Filling period

July to September

Depletion period

Full year

Catchment area

545 square miles

Area submerged

14, 237 acres

Full reservoir level

R.L. 2,133

Minimum pond level

R.L. 2,071

Dam at Hidkal

13,900 teet long, 143 feet high

Spillway:

620 feet long, capacity 163,000 cusecs

River sluices:

six, 6 feet x 9 feet each, total capacity 24,000 cusecs

Head regulator:

right bank, 6 vents, 8 feet x 9 feet each

5. Description of the head-works

Weir at Dhupdal as in 19A-K. 3-My. 1

6. Description of the canal

Ghataprabha Left Bank Canal off taking Dhupdal weir (partly contour and partly ridge); 71 miles long (branches 78. 9 miles); perennial; unlined; capacity 2,000 cusecs

^{*} Originally, two storages were proposed: one on the Ghataprabha at Hadalga and the other on the Hiranyakeshi at Ajra. Preliminery works for the dam at Hadalga was taken up in 1956 by the Bombay Government. After re-organisation of States, it was decided to construct the dam at Hidkal presumably because both Hadalga and Ajra lie in Maharashtra

7. Date of beginning of construction

Ist stage, started in: 1949

8. Date of beginning of operation

First 9 miles of Left Bank Canal were commissioned in June 1951; length of the main canal so far completed and in operation is 64 miles; the dam is under construction.

9. Probable date of beginning of full operation

Left Bank Canal, by the end of III Five Year Plan.

IRRIGATION ASPECTS

10. Gruss commanded area, culturable commanded area and Ayacut, district-wise

.7.	Names of dis	Total				
Item	Belgaum Bijapur					
		-thousand acr	cres			
G. C. A.	181.4	264.4	445.8			
C. C. A.	145.0	211.6	356.6			
Ayacut	111.4	186.6	298.0			

11. Area irrigated annually and intensity of irrigation

_	Area irrigated annually	Intensity of	irrigation o	on Ayacut
(i) Proposed	298,000 acres	emisso	100.0	percent
(ii) Actual maximu	m 56,400 ,,	disel-o	18.9	,,

12 Normal rainfall and river supply diverted

		k ainfall		Kiver supp	ly diverted.	Copacity f	actor
Men:h	Normal	Maximum	Minimum	Actual ma~imum	Propos e	Actual maximum	Proposed
1	2	3	4	5	0 .	7	8
		inches	C SEAL BY	T.M.	C.———	•	
June	2.4	5.0	0.7	1.25	2.50	0.24	0.48
July	2:9	5.7	1.1	2.34	4.10	0.44	:0.77
August	2.3	8.5	0.3	2.53	4.10	0.47	0.77
S cmber	4.3	9.6	0.4	1.35	4.00	0.26	0.77
O ber	4.1	10.5	1.1	1.17	3.90	0.22	0.73
November	1.0	4.8	Nil	0.65	3.20	0.13	0.62
December	1.0	2,2	,,	0.27	3.60	0.05	0.67
January	0.1	0.7	**	0.15	3.60	0.03	0.67
February	N.1	0.2	,,	Nil	2.20		0.46
March	0.4	1.5	"	,,	1.20	_	0.22
April	1.0	2.5	0.3	,,	1.20	-	0.23
May	2.4	5.9	0.4	0.30	1.20	0.06	0.22
Total	21.9			10,01	34.80		
13,	Not ava	ila ble					

14. (a) Characteristics of soils in the commanded area

Two main types of soils are met with; the first varying from deep black to light grey is characterised by high clay content and water holding capacity, the other, red to pale brown, is sandy loam and free draining generally. On basis of the effective depth of top soil overlying moorum stratum the soil classification is as follow:—

0" to 3" (Mal lands)	3'' to 18'' (Light soils)	18" to 4 feet (Medium soils)	More than 4 feet (deep soils)	Total
Percentage 19.2	24.2	21.1	35.5	100.0

(b) Not available

15. Pattern of cultivation in the area commanded before the scheme came into operation

Pere	nnial			Kharif			Rabi					Total
Percentage of principal crop Sugarcane	sarea	Percentage of principal crops To.					Percentage of principal crops T					cropped area (T.acres)
	(T.acres)	Jowar	Bajri	Ground- nut	Others	(T. acres)	Jower	Wheat	Cotton		/T	i
Negligible	0.1	13.0	16.1	7.0	10.6	139.0	29.8	8.2	11.3	4.0	158.9	298,0

16. Proposed of pattern irrigated cultivation

	Pe enn	ial	.]	Kharif								
Percentage of principal crops (Total area (T. acres)			Perce	ntage of pri	ncipal crop	25	Total area	Continued below				
Sugar	cane	(1. acres)	Jowa	r Maize	e Groundn	ut Padd	y Others	(T. acres)				
2.7	7 8.0		20.0	10.0	10.0	5.1	5.3	150.0				
Continu-		Ka	ibi			1.	r	1				
ed from	Per	centage of pr	incipal	crops	l otal area	Percentage of prince crops		ipal Total area	Grand Total			
atove	Jowa	ar Wheat	Cotton	Others	(T. acres)	Oth	ers	(T.acres	(T. acres			
	19.0	10.0	0.0	2.8	125.0	5.	1	15.0	298,0			

17. Actual crop pattern obtained after the introduction of irrigation (See Annexure I)

Pe	rennials		Kharif							Rabi				
principal crops area (T.		(<i>T</i> .		Percentage of principal crops					Percentage of principal crops			Total area (T.	Grand Total (T.	
Sugarcane	acres)		Cotton	John	Maize	Ground- nut	Others	acres)	Maize	Jowar	Others	acres)	acres)	
6. 6	0.8 Lurin	3.6 v 1960-i	8.4	28.2	2.9	17.7 river suj	20.6	37.8	2.9	5.3	6.6	7.2	48.6	

18. Duty and Delta at canal kend

							As obtained			
(a c		uty ne an cu se	c) :			Overall Delta				
Kharif			1		Khari				(feet)	
Perennia	al Paddy	v Others	Rahi⁵	Perennia!	Paddy	Others	Rabl	Overall		
50	45	130	115	13.4	6.7	2,0	2.2	2.7	4.7	

- 19. (a) Number of tanks in operation in the irrigated area and the area irrigated
 - 3 small tanks, area irrigated by these merged with the Ayacut
 - (b) Number of wells in operation in the irrigated area and the area irrigated

6,164 wells, irrigating about 19,000 acres (not included in the Ayacut)

- 20. Quantum of river supplies available in relation to withdrawals Available river supply is well in excess of proposed diversion
- 21, to 73.

As per 19A-K. 3-My.1

GENERAL

. 41.

24. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

सन्यमेव जयते

Power may be developed, if found feasible

25. Total cost of the scheme

THE APPRICACE

Rs. 18,60 lakhs (1960)

26. Cost per acre irrigated

Rs. 626

27. Not applicable

28. Financial return of the scheme

(i) as anticipated 2.03 percent (ii) as obtained Not available

29. Main features and purpose of the scheme .

Conversion of rain-fed cultivation to irrigated cultivation to provide security and improved yield of crops



GHATAPRABHA PROJECT STAGES I & II

Annexu_{re} 1

STATEMENT SHOWING AREA IRRIGATED BY CROPS

	*-					Area	irrig a te	ed by cro	ps (acre	s) .			,		
	•	Pe	rennic	ıl	1		Khari	f			7	Rabi]
Year ——		gar- ane	Other	Tota	Cotton	Jowai	Maize	Groun l nuts	Others	Total	M a ize	Jowar & vegi- table	Othe	rsTota	Grana Total
1951	-52	200		200	500	800	2,200	100	5,900	9,500	1,700	2,200 1,300	900	6,100	15,800
52-	-53	100	200	300	100	1,400	2,200	200	6,100	10,000	2,100	2,300 1,500 1	,000	6,900	17,200
53-	54	300	200	500	300	2,100	2,600	800	7,600	13,400	2,300	2,500 1,700 1	,100	7,600	21,500
54-	55	1,000	300	1,300	900	3,200	3,300	2,100	7,100	16,600		3,500 1,900 2			
55-	56	1,200	400	1,600	2,000	4,900	1,300	800				2,400 1,300 2			-
1956-	57	2,100	400	2,500	3,300	3,700	2,200	600	6,100	15,900	1,700	1,700 1,500 1	,600	6,500	24,900
57-	-58	3,200	500	3,700	2,300	4,100	2,500	200	5,100	14,200	2,000	1,500 2,500	1,300	7,300	25,200
58-	59	3,400	400	3,800	3,200	3,100	2,300	1,100	7,200	16,900	1,200	4,800 4,500 2	2,700	13,200	33,900
59-	60	3,700	400	4,100	4,800	16,000	1,600	10,000	11,700	44,100	1,700	3,030 2,000 1	,500	8,200	56,400
60-	61	3,200	400	3,600	4,100	13,700	1,400	8,600	10,000	37,800	1,400	2,600 1,900	1,300	7,200	48,600
Averator the years 1951-	e 1 fro	m											-		•
1960-	61	1,840	320	2,160	2,150	5,300	2,160	2,450	7,340	19,400	1,830	2,650 2,010 1	,570	8,060	29,620

सन्यमेव जयते

TUNGA ANICUT PROJECT

12B-K.8-My.4

1. Name of State

Mysore

2. Scope of the scheme or system

Irrigation scheme; based on flow; Ayacut 27,200 acres

3. Source of supply

Tunga at Sacrebyle/Tungabhandra/Krishna

Utilisation upstream:

Existing:

- minor tanks

Proposed:

Tunga Reservoir Project

4. Not applicable

5. Description of the head-works

Aniout:

1,205 feet long

River sluices:

three openings, 11 feet 2 inches x 15 feet each, total capacity 5.055

cusecs.

Head regulator: right, 3 vents, 10 feet x 4 feet each

left, 5 vents, 10 feet x 6 feet cach

6. Description of the canals

Tunga Right Bank Canal (contour); 32 miles long; perennial (first 15 miles only); unlined; authorised capacity 135 cusecs

Tunga Left Bank Canal (contour); 100 miles long, perennial (first 20 miles only); unlined; authorised capacity 550 cusecs

7. Date of beginning of construction

June 1947

8. Date of beginning of operation

July 1955

9. Probable date of beginning of full operation

1963

IRRIGATION ASPECTS

10. Gross commanded area, culturable commanded area and Ayacut, district-wise District Shimoga

सत्यमेव जयते

	Right Bank Canal	Left Bank Canal	Total
	*************	thousand acres	1 Am 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
G.C.A.	10.6	36.5	47.1
C.C.A.	6.5	29.1	35.6
Ayacut	5.0	22.2	27.2

11. Area irrigated annually and intensity of irrigation

		A	Area irrigate	ed annually	Intensity of Irrigation on Ayacut		
(i)	Proposed	1.2	27,200	acres	100.0	percent.	
(ii)	Actual maximum		17,000	33	62.5	· Šy	

12. Normal rainfall and river supply diverted

(i) Right Bank Canal

	[Kainfail		River supply diverted		Capacity factor	
Month	Normal	Maximum	Minimum	Actual maximum	Proposed	Actual maximum	Proposed
1	2	3	4	5	6	7	8
		inches——		T.M	.C.———		
June	4.9	10.9	0.8	0.11	0.16	0.31	0.46
luly	9.0	16.7	2.8	0.06	0.28	0.17	0.77
August	4.5	8.2	1.5	0.08	0.28	0.22	0.77
September	4.5	6.5	Nil	0.20	0.27	0.57	0.77
October	4.8	11.2	1.1	0.15	0.28	0.41	0.77
November	1.8	5.4	Nil	0.10	0.16	0.29	0.46
December	0.4	1.5	63.53	0.03	0.04	0.08	0.11
anuary	0.1	3.6	23	0.04	0.04	0.11	0.11
February	0.1	0.2	,,	0.10	0.04	-0.31	0.12
March	0.3	2.7	,,	0.06	0.04	0.17	0.11
Ap ril	1.7	6.0	, 10	0.04*	0.02	0.11	0.06
May	3.1	10.0	0.5	0.04*	0.02	0.11	0.06
Total	35.2		Merical W	1.01	1.63		

^{*} Daily withdrawals data are stated to be not available

71

(ii) Left Bank Canal

		Rainfai	l l	River suj	pply diverted	Capacity factor	
Menth	Normal	Maximum	Minimum	Actual maximum	Proposed	Actual maximum	Proposed
1.	2	3	. 4	5	6	7	8
	******	inches	111488 ***	T	.M.C		
June	4.0	9.7	0.4	0.18	0.77	0.13	0.54
July	7.0	13.6	2.6	0.50	1.23	0.34	0.84
August	4.2	7.9	1.0	0.86	1.23	0.58	0.84
September	4.4	5.2	0.2	0.82	1.20	0.58	0.84
October	4.6	12.5	1.5	0.89	1.23	0.60	0.84
November	1.7	5.6	Nil	0.38	0.67	0.27	0.47
December	0.4	1.3	,,	0.12	0.16	0.08	0.11
January	0.1	3.2	,,	0.26	0.16	0.18	0.11
February	0.1	0.6	,,	0.23	0.15	0.17	0.11
March	0.3	1.6	,,	0.27	0.16	0.18	0.11
April	1.6	5.7	,,	0.12*	0.08	0.08	0.06
May	2.8	10.4	0.5	0.12*	.0.08	0.08	0.05
Total	31.2		2	4.75	7.12		

^{*} Daily withdrawals data were stated to be not available

13. Not available

14. (a) Characteristics of soils in the commanded area

Soils in the irrigated tract are red sandy loam and black clayey. The sandy loam is shallow to medium in depth, red to pale brown in colour, underlain with pale coloured decomposed parent material, well drained and containing small quantity of lime kankar.

The black soil is shallow to medium in depth, black to grey in colour, clayey in texture, rich in lime and has high water holding capacity.

(b) Has any study been made of the likely effect of the introduction of irrigation on soil characteristics?

No

15. Pattern of cultivation in the area commanded before the scheme came into operation

Perennial		Kharif				·	Govt. follow		Total	
Percentage of principal crops	(T_{\bullet})		·		incipal c		Total area (T.	Percentage .	area (T.	cropped area (T.
Sugarcane	acres)	Puddy	Jowar	Ragi	Cotton	Groundnut	(acres)		acres)	acres)
2.2	0.6	25,9	24.7	21.4	5.5	11.1	24.1	9.2	2.5	27.2

16. (a) Proposed pattern of irrigated cultivation

Pere	nnial	Kho	arif	
Percentage of principal crops Sugarcane	Total area (T. acres)	Percentage of principal crops Paddy	Total area (T. acres)	Grand Total (T. acres)
18.4	5.0	81.6	22.2	27.2

(b) Are there any rules for regulating crop pattern? Legislation is under consideration

17. Actual crop pattern obtained after the introduction of irrigation

Pere	nnial	Khari	<u>f</u>	}
Percentage principal cro		Percentage of principal crops	Total area	Grand Total
Sugarcane	(T. acres)	Paddy	(T. acres)	(T. acres)
2.9	0.5	97.1	16.5	17.0

18. Duty and Delta at canal head

Perennial: June to May

Kharif paddy: June to November

	As a	nticipated		
(acres per	Duty mean cusec)		Delta (feet)	
Perennial	Kharif (Paddy)	Perennial	Kharif (Paddy)	Overall
65	45	10.2	6.7	7.4

19. (a) Number of tanks in operation in the irrigated area and the area irrigated thereform

	Number of tanks	Area irrigated
Right Bank Canal	57	2,551 acres
Left Bank Canal	40	2,187 acres
Total	~97	4,738 acres
		(Not included in the Ayacu)

(b) Number of wells in operation in the irrgated area and the area irrigated therefrom

Nil

20. Quantum of river supplies available in relation to withdrawals

River supply much in excess of canal requirements

21, to 24.

Not applicable

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

Nil

26. Total cost of the scheme

Rs. 2,31 lakhs (1954)

27. Cost per acre irrigated

Rs. 8,49

Not applicable 28.

29. Financial return of the scheme as anticipated 1.29 percent

30. Main features and purpose of the scheme

Conversion of dry crops to paddy and sugarcane



BHADRA RESERVIOR PROJECT

13B-K. 8-My.5

I. Name of State

Mysore

2. Scope of the scheme or system

Multipurpose scheme; flow-cum-storage; irrigation, Ayacut 241,550 acres power, 33,200 k. W. (right bank canal-one unit of 7,200 k. W.; left bank Canal-one unit of 2,000 k.W.; river bed-two units, 12,000 k.W. each) (includes irrigation from Deverabilikere Tank based on local drainage and seepage)

3. Source of supply

Bhadra at Lakkavalli/Tungabhadra/Krishna

Utilisation upstream: existing: minor tanks proposed:

4. Description of the reservoir or tank

Live storage	54.5 T.M.C
Dead storage	17. 1 17.1 (1.1) (1.1)
Carry-over	9.3 ,,
Annual reservoir losses	4.9 ,,
Filling period	Continuous, but major filling form July to September
Depletion period	Continous
Catchment area	760 square miles
Area submerged	27,802 acres
Full reservoir level	R.L. 2,158
Minimum pond level	R.L. 2,095

5. Description of the head-works

Dam: masonry, 1,445 feet long, 194 feet high; four dykes, total length 3,660 feet

Spillway: 240 feet long, capacity 106,700 cusecs

Outlets: one vent of 6 feet x 12 feet and two vents of 8 feet x 15 feet and two under-sluices

of 6 feet x 15 feet; total capacity 13,300 cusees

Power sluices: left bank sluice, one of 6 feet diameter

right bank sluices, two of 10 feet diameter each (one for future extension)

river sluices, two of 10 feet diameter each

6. Description of the canals

Bhadra Reservoir Right Bank Canal (contour); 61.8 miles long (branches 127 miles); perennial; unlined; authorised capacity 2,500 cusecs

Bhadra Reservoir Left Bank Canal (contour); 48 miles long; perennial; unlined; authorised capacity 335 cusecs

7. Date of beginning of construction

-Irrigiation—April 1947

Power— 1959

8. Date of beginng of operation

Bhadra Reservoir Right Bank Canal July 1959 Bhadra Reservoir Left Bank Canal June 1957

Power-July 1962

9. Probable date of beginning of full operation

Canals June 1964 Power June 1964

IRRIGATION ASPECTS

10. Gross commanded area, culturable commanded area and Ayacut, district-wise

			Lancing Co.			
Dis	trict	Chickma- galoor	Shimoga	Chitradurga	Bellary	Total
		· <u></u>	thousand	acres		
G.C.A.	Right Bank Canal	20.6	136.8	171.5	20.0	348.9
	Left Bank Canal	_	28.4		_	28.4
C.C.A.	Right Bank Canal	15.5	102.4	145.1	15.0	278.0
	Left Bank Canal	- (2	22.0		_	22.0
Ayacut	R ght Bank Canal	11.7	80.8	122.5	9.2	224,2
-	Left Bank Canal		17.4		_	17.4

11. Area irrigated annually and intensity of irrigation

	Area irrigate	ed annually	Intensity of irrigation on Ayacut			
	Right Bank Canal	Left Bank Canal	Right Bank Canal	Left Bank Canal		
	-thousand a	icres ——	———percent	age——		
(i) Proposed	224.2	17.4	100.0	100.0		
(ii) Actual						
maximum	2.2	15.7	1.0	90.2		

12. Normal rainfall and river supply diverted

(i) Bhadra Reservoir Left Bank Canal

Murath	1	Rainfai	!!	River supply	Diverted	Capacity factor		
Month	Normal	Maximum	Minimum	Actual maximum	Dunnand	Actual Maximum	Proposed	
1	2	3	4	5	6	7	8	
		——inches—		T.	M.C.——			
June	5.7	9.8	1.6	0.41	0.45	0.47	0.52	
July	11.0	20.4	3.5	0.58	0.64	0.65	0.71	
August	5.9	12.5	0.9	0.58	0.64	0.65	0.71	
September	4.4	6.1	0.5	0.56	0.62	0.65~	0.71	
October	5.1	11.2	1.3	0.58	0.65	0.65	0.72	
November	1.9	5.2	Nil	0.41	0.45	0.47	0.52	
December	0.5	1.6	,,	0.27	0.29	0.30	0.32	
January	0.1	2.0	,,	0.24	0.30	0.27	0.33	
February	0.1	1.1	1,	0.27	0.27	0.33	0.33	
March	0.3	1.2	5	0.26	0.29	0.29	0.32	
April	1.7	4.8	0.1	0.27	0.32	0.31	0.37	
May	3.2	7.3	0.6	0.03	0.05	0.03	0.06	
Total	39.9			4.46	4.97	•		

सन्यमेव जयते

(ii) Bhadra Reservoir Right Bank Canal

		Rain	fall	River supply	diverted	Capaci	ty factor
Month	Normal	Maximum	Minimum	Actual maximum	Proposed	Actual maximum	Proposed
1		3	4	5	6	7	8
		inches-		T.M.C.			_
June	3.5	7.2	1.0	Nil	4.59		0.71
July	6.0	11.3	2.3	0.25	6.45	0.04	0.96
August	4.0	7.2	0.8	0.63	6.72	0.09	1.00
September	4-2	7.8	0.5	0.52	6.50	0.08	1.00
October	4.6	11.2	1.8	00	6.60	0.0 7	0.99
November	1.3	6.5	Nil	0.32	4.82	0.05	0.74
December	0.4	1.5	,,	Nil	3.27	_	0.49
January	0.1	1.8	,,	,,	3.27	-	0.49
Fabruary	0.1	0.6	"	,,	2.89		0.48
March	0.2	1.3	,,	,,	2.92	_	0.44
April	1.3	4.2	0.1	2 23	3.28	_	0.51
May	2.7	8.1	0.5	JESS.	0,47	_	0.07
Total	28.4		6	2.22	51.78		
Total for	both can	als	9	6,68	56.75		
	Not avail		6				
14. (a)	Charact	ristics of s	oils in the	commanded are	a		
				Black soi	1	Red soil	
3	Right Ban	k Canal	g.	8.5 perce	nt	91.5 percent	
	Bra		nvery branc	######################################		84.7 ,,	
			salabenur bi	THE RESIDENCE AND ADDRESS OF THE PARTY OF TH		69.6 ,,	
		Ε	evanagere l			69.8 "	
	Left Bank			7.0 ,,		93.0 ,,	
(b)	Has any	study be	een made	of the likely	effect of	the intr	oduction o

(b) Has any study been made of the likely effect of the introduction of irrigation on soil charactristics?

15. Pattern of cultivation in the area commanded before the scheme came into operation

opera	ation												
Pereni	nial			Kharif			_			Wet Kh	arif		Total
Percentage of principal crops	area		Percent	tage of prin	ncipal cre	ops		Total area	Percent	rcentage of principa crops			Total cropped area (T.acres)
Sugarcane	(T,acres)	Ragi	Jowar	Groundnut	Cotton	Other	Fallow forest		Rai ifea Puddy	Tank Paddy	Garden	area (T. acres)	
Right Bank C	 Canal	8.3	33.0	2 4.1	16.7	9.5	3.2	212.5		3.7	0.1	11.7	224,2
3.5 16. (a) Pr		9.0 patter	n of	— irrigated	- l cultiv	2.0 vatio	43.5 n	11,2	32.0	_		5.6	17.4
	erennial		<u> </u>	Kha	irif		í		R	abi			***
Percent of princ cros	cipal es	Total area (T.		Percenta principa	ige of	a	rea (T.		centag ipal cr	e of	Total area (T.		a nd otal cres)
Sugarcane	Garden	acres	P	addy	Other.	s . 1	cres)	Other	s	Cotton	acres		
Right Bank (24,4 Left Badk Ca	18.0	95,1	3	2.9	10.4	9	7.1	8.1		6.2	32,0	2:	24,2
35.4	18.6	9,4	4	1.2	2.4		7.6	2.4		,	0,4	. 1	17.4
Le	gislation	under	consi	or regula deration ined afte	14	184	1		rigati	ion	·	•	
		·····-		Perennie	al .		557		Khai	rif			
		Percen princip arcan?	al cro	ps [Total ai	1 62		ntage pal cro	ps	Total (T. a	area cres)	Grand (T. a	Total ecres)
Right Bank (Canal	_		•	_		100.0			2.	2	2.2	
Left Bank Ca	inal	38.8	0.7		6.2		44.8	15	.7	9.		15,7	
18. Duty	and Dela	ta at c	anal	head									
			<u></u> -		A	ls pro	posed						

						As propos	ed					
		I	Outy					Delte	a			
			mean cu			T		(feet	,			
Pe	erennial	<i>Ki</i>	harif	Rabi	Combodia	Peren	nial	Kh	arif	Rabi	_omoudia	Over-
Sugaro	ne Garaen	Padd.	y Others	Others	Cotton	Peren. Sugarsane	Garden	Paddy	Others	Others	Cotton	all
75	130	55	150	120	140	9.0	5.1	5.5	1.6	2.5	3.8	5.4

19. (a) Number of tanks in operation in the irrigated area and the area irrigated therefrom

	Tanks	Area irrigated	
Right Bank Canal	180	8,334 acres \	included in the Ayacut; most of
Left Bank Canal	135	5,426 acres	the tanks will cease to operate

(b) Number of wells in operation in the irrigated area and the area irrigated therefrom

Nil

20. Quantum of river supplies available in relation to withdrawals

Average river supply available at Lakkavali is 109.40 T.M.C. and proposed diversion for irrigation 56.75 T.M.C.

POWER ASPECTS

21. River supplies diverted and operation head

Discharge of water for power is based on irrigation needs. The following table is worked out for river condition as in 1936-37. Power generation will vary from year to year depending on water levels and discharges

			(6)	As during I	936-37				
	Range of	operation h	ead (feet)		passing	through turvi	th turvines (cusecs)		
Month	<u>-</u>		V	Left Bank Power House		Bank Power Available for No. 2 when	Machine Power		
June	112	39	132	172	1,720	51	630		
July	126	53	146	240	1,850	558	650		
August	140	67	160	240	1,897	612	3,200		
September	144	71	164	240	1,897	612	1,100		
October	144	73	164	242	1,897	567	1,130		
November	144	75	163	172	1,860	Nil	630		
December	144	73	160	108	1,221	,,	650		
January	139	69	157	111	1,221	,,	650		
February	135	65	153	112	1,195	,,	630		
March	130	60	148	108	1,090	**	650		
April	125	55	143	122	1,265	,,	620		
May	120	49	138	18	175	**	650		
Total (T.	M. C.)		•	4,96	45.41	6.37	29.55		

22. Disposal of tail-race waters

The tail-race waters from the Left Bank and Right Bank Power Houses will be used by the canals. The supply from the river bed units will be let into the river downstream

23. Development of load compared with power potential provided

There is ready demand for power and the same will be utilised immediately for Mysore Iron and Steel Works and other industries

24. Quantum of river supplies available in relation to withdrawals

The water supplies required for Right and Left Bank Power Houses is limited to irrigation requirements viz., 56.75 T.M.C. The requirements of River Power House are 29.54 T.M.C. Allowing 4.9 T.M.C. for evaporation losses, the total requirement of 91.19 T.M.C. are available only in 22 years out of 31 years for which data are available.

GENERAL

25. Aspects other than irrigation and power; water supply (month-wise), if any, required for these aspects; financial returns

There is a head of 20 feet between the tail-race level and the river bed. This could be developed later for power generation

26. Total cost of the scheme

Rs. 31,93 lakhs for civil works, and Rs. 3,80 lakhs for power

27. Cost per acre irrigated

Rs. 1,306

28. Cost per k.W. power produced

Rs. 1, 084/ - per kW. installed upto H.T.Bus. (excluding cost of civil works)

29. Financial return of the scheme

1.52 percent on irrigation (exclusive of power) and 6.2 percent on power at 2.55 nP. per unit at Bus bar (excluding interest on capital and cost of dam)

30. Main features and purpose of the scheme

Conversion of rain-fed cultivation to paddy and sugarcane; generation of power for in dustries

TABLES



TABLE I Particulars of major and medium schemes

Index	Name of scheme or	Power installed	C.C.A.	An iual	irrigation	Annual a	
number	project	(k.W.)	or Ayacu ^t	Maximu to-date	m Ultimate	Maximum 10-da1e	
1	2	3	4	5	6	7	8
	ANDHRA PARDESH		a Ayacut	res	• • • • • • • • • • • • • • • • • • • •	T.M.C.	•••
1B-K.7-A.1	Koilsagar Project		12,000	9,800	14,500	3.5	3.4
2B-K.8-A.2/My.2	-		,	-,	,500	5.5	J.4
	(Jointly with Mysore)	63,000	829,200	282,600	829,200	82.6	135.2
3B-K.8-A.3/My.3	Rajolibanda Diversion						
	Scheme						
4B-K.9-A.4	(Jointly with Mysore)		92,900	•	92,900	10.4	17.1
4B-K.9-A.4 5B-K.10-A.5	Bhairavanitippa Froject Musi Froject		12,000		17,000	3.5	4.1
3D-K. 10-M.3	•		38,000		52,600	2.3	8.4
	Total MAPAFASHTRA	63,000	C.C.A.	327,200	1,006,200	102.3	168.2
6B-K,1-M,1	-Radhanagari Project	. 4,800	N.A.	19,700	(20,000)	(6.5)	(6.5)
		(TITELS)				3.9	1.1
7B-K.5-M.2	Ghod Dam Project	1002S	103,600	15,100	62,400	0.7	8.4
8B-K.5-M.3	Budihal Tank		13,600		10,500	0.7	0.8
9B-K.5-M.4	Mangi Tank		-10,000		- 9,700		0,9
10B-K.5-M.5	Kharapur Tank	ANTES SE	13,500	7,700	10,400	0.7	1.0
	Total	4,800	140,700		113,000	9.0	17,6
		124	Jr. F	-	-	<i>3</i> .9	1.1
	MYSORE	15	Ayacut				
11B-K.3-My.1	Ghataprabha Project						
	(Stages I and II)	TENTE S	298,000	56,400	298,000	10.0	34.8
2B-K.8-A.2/My.2	Tungabhadra Project	প্রশ্ব	144				
	(Jointly with Andhra						
	Pradesh)			Spe 2E	3-K.8-A.2/N	/Iy.2	
3B-K.8-A.3/My.3	Rajolibanda Diversion			•		•	
	Scheme (Jointly with						
	Andhra Pradesh)				3B-K.8-A.3	3/My.3	
12B-K.8-My.4	Tunga Anicut Project	~	27,200	17,000	27,200	5.8	8.8
13B-K.8-My.5	Bhadra Reservoir	22 200	241 600	17.000	0.41 .00	. m	
	Project	33,200	241,600	17,900	241,600	6.7	56.8
•	Total	33,200	566,800	91,300	5 <i>6C</i> 000	00 5	29.6
	. total	JJ,400	200,000	31,300	566,800	22.5	100.4
	Curred Trees	101 000	1 601 600	471 600	1 606 060	100.0	29.6
	Grand Total	101,000	1,031,000	#/1,00U	1,686,000		286.2
Mate	_ Figures in italics represe	nt diversio	n for now	ar aanana	tion only	<i>3</i> .9	30.7

Note -Figures in italics represent diversion for power generation only.

TABLE II
Particulars of minor schemes

Serial num- ber	Name of scheme or project	Name of sub-basin	Capaci y tanks (M. Cft.)	Capacity diver- sion schemes (cusecs)	Ayacut	Area irrig during 195 or 1960-61(d	9-60
1-1	2	3	4	5	1 6	7	
	ANDHRA PRADESH				Ayacut		
	Guntur district						
1.	Undavalli Pumping			•			•
	Scheme	K. 7 Lower Krishna		N.A.	1,456	N.A.	
2.	Eduvagu Pumping			•			
	Scheme	**	112	"	560	**	
	Total				2,016		٠
	Khamam district						
1.	Ratnori Cheruvu	K.12 Muneru	78		1,700	,,	
	Krishna district						
1.	Raghavapuram				:.		
•	Pumping Scheme	**	7 -	N.A. 5.	1,000	500	
2.	Krishna Sangames- waram Lift Irrigation			• .			:. ,
	Scheme near					•	,
	Munnalur village	K. 7 Lower Krishna		**	1,000	250	. •
3.	Kothajupudy Tank	"	61		732	589	
	Total Mahbubnagar distr	1211	77		2,732	1,339	
			40.6		4.000		
1.	Sarlasagar Project Nalgonda district	**	475	_	4,000	2,300	
1.	Bheemanapalle	सन्यमेवः	नयते				
	Project	,,	203	_	1,860	916	
2.	Anicut and Feeder				٠		
	Channel (111)	K. 10 Musi	_	N.A.	511	149	
3.	Peddacheruv (196)	99	29		537	40 6	
4.	Peddacheru(1511)	K.7 Lower Krishna	111	· –	524	N.A.	
5.	Sharfu tank (1559)	,,	N.A.	· —	651	,,	
6.	Ramasamudram (1244)	K. 12 Musi	90	_	918	445	
7.	Vemuluru Project	1)	349		3,000	2,204	_
8.	Modgula Cheruvu	,,	17	-	809	594	-
9.	Large Tank and	•		· ·			
	Feeder	**	13		837	197	

TABLE II (continued)

Particulars of minor schemes

Serial num- ber	or project	Name of sub-basin	Capacity tanks (M.Cft.)	Capacity diver- sion schemes (cusecs)	or Ayacut d	trea irrigated uring 1959-60 1950-51 (acres
1	2	3	4	5	6	7:
,					Ayacut	
10.	Large Tank	K. 7 Lower Krishna	114		583	N.A.
11.	Pedda Cheruvu	,,	34		503	,,,
12.	Gandamalla Tank	K. 10 Musi	66		540	59
	Total				11,273	
	Warangal district					
1.	Kopakla Kunta	K. 12 Muneru	N.A.		50 6	631
2.	Pedda Cheruvu	,,	102		522	N.A.
	Total				1,028	
	Grand total for An MAHARASHTRA				22,749	
	Ahmednagar distri				C.C.A.	
1.	Gunodi Tank	K. 5 Upper Bhim	a 229	63	5,000	1,380
2.	Bahirobawadi Tank	· Ess	43	3 8	1,066	454
3.	Durgaon Tank	.,	73	27	1,500	363
4.	Gurav Pimpri Tank	,,	116	13	2,160	1,255
	Total		TATIY		9,726	3,452
	Bhir district	14	AYKKY			*
1.	Kamli Project	, ga	10		2,910	2,400
2.	Talwar Project	,,	115	}	2,960	644
	Total	0.11			5,870	3,044
	Kolhapur district	सर	प्रमेव जयते			
1.	Bandhara on Kasari					
	river at Yereij Porlan	K.9 Upper Krishn	na —	Lift scheme	N.A	1,443
2.	Bandhara on Kasari	*				
	river at Punaltirpan	.		**	••	1,018
3.	Bandhara on Kasari					
	river at Thana	,,	_	21	9.5	655
4.	Bandhara on Kasari					
	river at Valoli	"		**	**	474
5.	Bandhara on Kasari					
_	river at Bajarbhagaor		_	**	**	624
6.	Bandhara on Kumbh	i				ا مشاهدات
	river at Kali	2)		ۇۋ	**	1,000

Table II (continued)

Particulars of minor schemes

Serial num- ber	1	Name of suh-basin	Capacity tanks (M.Cft.)	diversion	C.C.A. or Ayacut (acres)	Area irrigated during 1959-60 or 1960-61 (acres)
I	2] 3	4	5	6	7
7.	Bandhara on Kumbhi				C.C.A.	
	river at Sangrul	K. 9 Upper Krishna		Lift	N.A.	321
8.	Bandhara on Dudhganga			scheme		
	river at Boatani	**		,,	,,	(Nil)
9.	Weir on Vedganga			,,,	•	(= :-=)
	river at Surpali	,,,	_	,,	,,	(Nil)
	Total					5,535
	Poona district	·				
1.	Pisarve Tank	K. 5 Upper Bhima	51	,,	800	186
2.	Palasdeo Tank	. ,,	68	,,	1,380	527 .
3.	Madanwadi Tank	11 marriers	198	**	1,690	970
4.	Pushpavati Bandhara	10 10 10 10 10 10 10 10 10 10 10 10 10 1	_	80	5,040	1,171
	Total		53		8,910	2,854
,	Sangli district		3			
1. 2.	Itkare Bandhara	K. 1 Upper Krishna	7 —	2	92	92
٤.	Vajrachunde Bandhara Total	K. 2 Middle Krishna	_	60	4,500	584
	Satara district	1571 107			4,592	676
1.	Banaganga Tank	K. 5 Upper Bhima	271	39	4,200	1 000
2.	Bandhara at Urmodi	K. 1 Upper Krishna	J 4/1	107	4,200 4,500	1,805 552
3.	Bandhara at Tarali	y, Hellie side		160	5,100	215
4.	Ranand Tank	K. 5 Upper Bhima	227	40	N.A.	1,118
5.	Daruj Tank •	1)	84	30	1,600	776
	Total				15,400	4,466
	Sholapur district					·
1.	Wairag Tank	K. 2 Middle Krishna	53	_	1,250	643
2.	Sapatna Tank	, i	114	_	2,400	621
3.	Chicholi Tank	,,	99	_	2,200	544
4.	Jawala Tank	"	47	-	1,300	196
	Total	**	• •		7,150	2,604
	Grand total for Maharas	htra			57,183	22,031

Table II (continued)

Particulars of minor schemes

Serial	· · · · · · · · · · · · · · · · · · ·	1	Capacity	Capacity	C.C.A.	Area irrigated
num-		Name of sub-basin	tanks	diversion		during 1959-60 or
ber	or project		(M.Cft)	schemes	Ayacut	1960-61 (acres)
		 	<u> </u>	(cusecs)	(acres)	
1 1	2	3	4	5 1		7
	MYSORE				Ayacut	
	Belgaum district	•		•		
1.	Tank at Parasanahatti	K. 4 Malaprabha	8		500	500
2.	Tank at Dominkop	>>	8	· ·	502	485
3.	Bandhara at Karlanatti	K. 2 Middle Krishna	-	27	2,000	583 .
4.	Bandhara .at	•				
	Kukadalli	"		40	2,303	900
5.	Bandhara at Gejapatni	, 29		26	1,100	350
6.	Bandhara at Hosur	,,		5	1,170	72
7.	Bandhara at					
	Balekundry	K. 3 Ghataprabha	S) -	N.A.	566	378
8.	Bandhara at Kolchi	K. 4 Malaprabha		100	3,150	2,800
	Tot al				11,291	6,068
	Bijapur district	经撤发				
1.	Lift irrigation	AND STATES	244			
	scheme at Haveri	K. 3. Ghataprabha	N.A.		1,100	1,000
2.	Tank at Kalaskop	, LES	225		2,823	971
3.	Bandhara at					
	Naraspur	K. 4 Malaprabha	N.A.	_	650	70
4.	Lift irrigation	सद्यमेव	जगने			
	scheme at	42444	41421			
	Shivayogimandir	**	_	N.A.	1,320	77
5.	Tank at Makhanpur	K. 6 Lower Bhima	105		1,072	122
6.	Asundi Tank	K. 2 Middle Krishna	50		459	67
7.	Nagathana Project	K. 6 Lower Bhima	85		1,600	50
8.	Ramanahalli Tank	**	440		4,800	2,100
9.	Areshanker Tank	K. 2 Middle Krishna	290		3,100	900
	Total				16,924	5,357
	Chickmagalur dist	rict				**
1.	Brahamasamudra					
	Anicut and Channel	K. 9 Vedavathi		15	600	600
2.	Shantipura Anicut					
	and Channel	,,		30	1,200	1,200
	Total				1,800	1,800

Table II (concluded)
Particulars of minor schemes

Serial num- ber	Name of scheme or project	Name of sub-basin	Capacity tanks (M. Cft.)	Capacity diver- sion schemes (cusecs)		Area irrigated during 1959-60 or 1960-61 (acres)
1	2	3	4	5	6	7
	Chitradurga distric	et			Ayacut	
1.	Sangenhalli Tank	K. 8 Tungabhadra	390	-	1,800	900
2.	Tuppadahalli Tank	,,	357	*****	1,400	1,309
3.	Gadimakunte Tank	,,	245	-	785	785
4.	Muthugadur Tank	,,	98		550	350
5.	Gayathri Reservoir	K. 9 Vedavathi	642	-	2,020	1,000
6.	Narayanapur Anicut	,,		80	3,812	2,000
7.	Parasurampura New					
	Tank	**	250		974	975
	Total				11,341	7,319
	Dharwar district					
1.	Tank at Alur	K. 8 Tungabhadra	104		900	300
2.	Tank at Shiroli	, 434	69	_	1,020	600
3.	Tank at Dambal					
	(Extension)	· (E)	134		1,200	300
4.	Tank at Agadi	A STATE OF	23		650	600
	Total	Y //k 1	1649		3,770	1,800
	Hassan district	44	1 634.5			
1.	Hirekatto Voddu	77. 0. 77. 1				4.000
	and Channel	K. 9 Vedavathi		50	2,000	1,000
4	Shimoga district Budigere Tank	K. 8 Tungabhadra	व जगने॰		676	505
1.	Tumkur district	K. o Tungaphadia	33		575	575
1.	Borankanive					
1.	Reservoir	K. 9 Vedavathi	938		2,900	1,650
	Grand total for My	sore			50,601	25,569

TABLE III

Particulars of small tanks and diversions

Serial num- ber	Name of district	Name of sub-basin	No. of tanks diversions	C.C.A. or Ayacut (acres)	Area irrigated during 1959-60 or 1960-61 (acres)
1	1 2	3	4	5	6
	ANDHRA PRAD	ESH	, .	Aya.ut.	
1.	Kkammam	84% in K.12 Muneru and			
		16% in K.11 Paleru	144	8,345	N.A. `
2.	Krishna	76% in K.12 Muneru;			•
•		17% in K.7 Lower Krishna and			
		7% in K.11 Paleru	6	1,914	"
3.	Kurnool	66% in K.8 Tunga bhadra;			
		25% in K.7 Lower Krishna and			
		9% in K.9 Vedavathi	45	1,135	7.5
4.	Nalgonda	54% in K.7 Lower Krishna;			
		35% in K.10 Musi and			
		11% in K.11 Paleru	663	40,207	**
5.	Warangal	68% in K.12 Muneru;			
		19% in K.10 Musi and			
		13% in K.11 Paleru	143	7,658	,,
	Total		1,001	59,259	
	MAHARASHTRA	V // J / C // U		C.C.A.	
1.	Ahmednagar	K.5 Upper Bhima	3	531	414
2.	Kolhapur	87% in K.1 Upper Krishna and			
		13% in K.3 Ghataprabha	37	4,771	459
3.	Poona	K.5 Upper Bhima	49	5,054	3,358
4.	Sangli	45% in K.1 Upper Krishna;			•
	•	40% in K.5 Upper Bhima and	•	5 ,	
		5% in K.2 Middle Krishna	35	4,185	2,825
5.	Sholapur	50% in K.5 Upper Bhima and		•	
		10% in K.6 Lower Bhima	4	455	185
	Tota	al	128	14,996	7,241
	MYSORE			Ayacut	
1.	Belgaum	36% in K.3 Ghataprabha;			
		34% in K.4 Malaprabha and			
		30% in K.2 Middle Krishna	5	1,256	628
2.	Bijapur	43 %in K.2 Middle Krishna;			
		31% in K.6 Lower Bhima;			
		16% in K.3 Ghataprabha and			
		10% in K.4 Malaprabha	21	2,087	1,604
		•			

Table III (Concluded)

Particulars of small tank and diversions

Serial num- ber	Name of district	Name of sub-basin	No. of tanks diversions	C.C.A. or Ayacut (acres)	Area irrigated during 1959-60 or 1960-61 (acres)
1	2	3	4	5	6
3.	Chitradurga	73% in K.9 Vedavathi and	•	Ayacut	
		27% in K.8 Tungabhadra	1	80	75
4.	Dharwar	57% in K.8 Tungabhadra and			
		43% in K.4 Malaprabha	1	230	140
5.	Hassan	K.9 Vedavathi	1	200	150
6.	Tumkur	K.9 Vedavathi	1	93	60
	Total		30	3,946	2,657

Note;— The percentages in column 3 denote percentages of that part of the district named in column 2 which lies in the Krishna basin.



TABLE IV

Abstract of minor schemes and small tanks and diversions

	M	Minor schemes as	ies as	Small	Small tunks and diversion	diversion	I	Total	Duty	Ansual
	_	per Table II		as p	r male 11	ı		1	22.53	Arrange Commercial
State/District].	C.C.A.	Annual		C.C.4.	Annual	۲. د.	Annual	Der J	alversion T M C
	Num-	Jo	irrigatio n	Number	or	ırrıgatıon	io,	1050 60	::C:zr	· · · · · · ·
	per	Ayacut	1959-60 or		Ayacut	1959-60or	Ayacut	19-0961		
	1		1200-01			1 . 2	X	6	0/	11
1	7	٦,	4	c	0	,	0			
					Ì	acres	res	1		
		·			•	~	4.10.001			
ANDHRA PRADESH	HS	Avacut			Ayacui		A yacut	•	,	6
Guntur	c	2.016	(136)	1	ļ		2,016	(136)	ِ ف	70.0
Cultiff	1 -	1,000	(840)	144	8 345	(4,280)	10,045	(5,130)	9	98.0
Nnammam	, י	1,700	1 230	. 4	1 014	(1 661)	4.645	(3,000)	9	0.50
Krishna	**	2,134	1,55%		117.7	(1,001)	1 125	(1 000)	v	0.20
Kurnool	ţ	1		45	1,133	(1,000)	1,100	(000,1)	,	0 20
Mahhihnagar	_	4,000	2,300		000	ĺ	4,000	2,500	o	0°.20
Malando	· C	11 273	(005 9)	663	40,207	(23,500)	51,480	(30,000)	9	5.00
Naigoma	7 (0.00	(200)		7.658	(3.778)	8.686	(4.278)	9	0.71
Warangal	7	1,028	(nnc)	C+I	aco,,	(0),(2)	2000	45 04A		7.67
Total	21	22,749	11,625	1,00,1	59,259	34,219	82,038	17,011		5 0.
MAHARASHTRA		C. A.			C.C.A.		C.C.A			
Ahmadoogar	4	977 6	3.452	m	531	414	10,257	3,866	17.5	0.22
Pi-i-	; ;	5 870	3 044	. 1	ļ	ì	5,870	3,044	25	0.12
Dill	۱ د	(5.53.5)	5 535	37	4.771	459	10,30	5,994	15	0 40
Kolnapur	ν .	(3,333)	0.000	· •	2054	3 3 58	13 964	6.212	15	0.41
Poona	4	8,910	2,854	44	t,0,0	3,330	10/101	1000		,
Sanoli	~	4.592	9/9	35	4,185	2,825	8,777	3,501	C7 C1	77.0
Canagar	1 4		4 466	ļ	ļ	ì	15,40)	4,466	15	0.29
Satara	٠ ،	23,400	00t'r	•	155	185	7 605	2.189	16.25	0.13
Sholapur	4	00.1.7	7,004	t	000	701		00 070		1 70
Total	æ	57,183	22,031	128	14,996	7,241	72,179	71767		7:0
						*				

A)		1	Ayacut		Ayacut		;	
,291	890'9	S	1,256	628	12,547	969'9	<u>0</u>	0.67
5,924	5,357	21	2,037	1,604	19,011	6,961	12	0.58
003,1	1,800	į	1	Į	1,800	1,800	∞	0.23
1,341	7,319	-	80	75	11,421	7,394	4	1.85
	1,800	7	230	140	4,000	1,940	7	0.28
	1,000	-	200	150	2,200	1,150	S	0.23
.575	575	1	1	1	575	575	7	0.08
	1,650	—	93	99	2,993	1,710	ν,	0.34
	25,569	30	3,946	2,657	54,547	28,226		4.26
	59,225	1,159	78,201	44,117	208,734	103,342		13.72

(Figures in brackets are assumed figures)

Note: - 1. The assumed figures in col. 9 are based on the district-wise statistics in Table V.

Assumed figures in col, 4 and col, 7 have been derived from the figures in col, 9 roughly in proportion to the respective

The duty (acres per M.Cft.) is based on Table VI and the assumption that irrigaton in Telngana is generally 80% Abi and 20%, Tabi. The same figure has also been assumed for Guntur and Krishna districts. w.

The C.C.A. of minor schemes in Kolhapur district has been assumed to be same as area irrigated in 1959-60 or 1960-61. The maximum to-date annual irrigation and annual diversion in col. 5 and col. 7 of the statement at the beginning of this Annexure have been assumed to be the same as the annual irrigation and annual diversion during 1959-60 or 1960-61.

The ultimate annual irrigation in col. 6 of the statement at the beginning of the Annexure kas been assumed on the basis of the C.C.A. or Ayacut ٠**.**

The ultimate annual diversion in col. 8 of the statement of the beginning of this Annexure is roughly in the same ratio as the maximum to-date annual diversion bears to the maximum to-date annual irrigation.

TABLE V

Ayacut of and area irrigated by minor schemes and small tanks and diversions in Andbra Pradesh

			7							
•		Aya	Ayacut of schemes	S					Area irrigated	
District	In c	operation as on 1st March 1951		Which cams after M	Which came into operation after March 1951	tion	Grand	Average for 1941-42 to	Average for 1951-52 to	During 1050.60
	Minor	Small tanks	Total	Minor schemes	Small tanks, Total	cs Total	Total	1950-51	19-0961	or or 1
1	1 2	3	4	5	9	1 7	8	6	01	11
		-			acres					5
Anantapur	8,685	5,964	14,649	1	ì	1	14,649	14,34CD	12,810E	12,430**
Guntur	1,055	6,429	7,484	2,016	.	2,016	9,500	1,740D	3,136E	2,725**
Hyderabad	7,203	60,111	67,314	1	<u> </u>	1	67,314	29,625A	38,001B	48,167*
Khammam	6,627	94,218	100,845	1,700	8,345	10,045	110,890	51,560A	85,130C	110,859*
Krishna	14,570	9,640	24,210	2,732	1,914	4,646	28,856	10,230D	20,950E	24,040*
Kurnool	7,415	10,846	18,261	1	1,135	1,135	19,396	20,840D	26,110E	24,160**
Mahbubnagar	14,651	170,811	185,462	4,000	l	4,000	189,462	60,777A	140,343B	161,108*
Medak	1	3,968	3,968			I	3,968	2,202A	3,607B	4,328*
Nalgonda	24,991	125,762	150,753	11,273	40,207	51,480	202,233	96,836A	142,811B	125,005*
Warangal	20,114	130,930	151,044	1,028	7,658	8,686	159,730	59,195A	119,278B	138,734*
•					,					

A-Average for 5 years (1941-42, 1944-45, 1948-49, 1949-50 and 1950-51)

B-Average for 9 years (1951-52, 10 1959-60)

C -- Average for 7 years (1953-54 to 1059-60) D-- Average for 8 years (1941-42, 1944-45 to 1950-51)

D.—Average for 7 years (1951-52 to 1953-54 and 1955-56 1958-59)

*-Figures for 1959-60

**-Figures for 1958-59

TABLE VI

Crop pattern and duty, district-wise

Serial number	State District	Average annual rainfall (inches)	Crop pattern	Duty acres per M.Cft.
1]	2	3]	4	5
A	NDHRA PRADESH			
1.	Guntur'	32.5	Abi	5
2.	Khammam	41.3	Abi and Tabi	6.67 for <i>Abi</i>
				3.33 for <i>Tabi</i>
3.	Krishna	37.4	Abi	5
4.	Kurnool	26.6	,,	5
5.	Mahbubnagar	27.6	Abi and Tabi	6.67 for Abi
				3.33 for Tahi
6.	Nalgonda	28.5	**	,,
7.	Waranga]	41.3	**	,,
h	AAHARASHTRA		D.	
1.	Ahmednagar	25.6	Kharif 50%, Rabi 50%	17.5
2.	Bhir	27.6	Kharif 50%, Rabi 50%	25
3.	Kolhapur	79.7	Rabi 100%	15
4.	Poona	51.2	Rabi 100%	15
5.	Sangli (South Satara)	24. 5	Kharif 25%, Rabi 75%	16.25
6.	Satara	49.2	Rabi 100%	15
7.	Sholapur	23.6	Kharif 25%, Rabi 75%	16.25
)	MYSORE	Control of the contro	705 ===== 70 70	10.23
1.	Belgaum	39.4	Mixed crops Paddy and Sugarcane in west zone	10
			and dry crops in east zone	
2.	Bijapur	23.6	Dry crops like Jowar,	
			Wheat and Cotton	12
3.	Chickmagalur	88.6	Paddy and Sugar cane	8
4.	Chitradurga	21.7	,,	4
5.	Dharwar	27.6	Mixed crops	7
6.	Hassan	39.4	Paddy	5
7.	Shimoga	78.7	,,	•7
8.	Tumkur	27.6	,,	5



सन्यमेव जयते